

**World TB Day
2007**



©Didier Ruef/Pixsil

Stop TB

Jooji Qaaxada
stop TB

**Qaaxada waa laga bogsan karaa;
Dawada Qaaxadu waa lacag la,aan;**

TB can be cured, TB treatment is free



Investing in our future
The Global Fund
To Fight Aids, Tuberculosis and Malaria





Dadka qaar waxay qabaan Qaaxo keliya

Some people are sick only with TB



Dadka qaar waxay qabaan HIV/AIDS keliya

Some people are sick only HIV/AIDS

Dadka qaarna waxay qabaan Qaaxo iyo HIV/AIDS labadaba

And some people are sick with TB and HIV/AIDS at the same time.



Qaaxada waa laga bogsan karaa, haddii la qaato dawadeeda oo sax ah (qofku ha qabo ama yaanuu qabin HIV/AIDS)


With the right drugs, TB can be cured whether or not you are living with HIV/AIDS.



PHARMACY



Dawooyinka Qaaxadu iyagoo lacag la'an ah aya yaalliin xarumaha Qaaxada lagu daweeyo oo dhan



Qaaxada waxa lagu gudibiyaa Hawada, marka qof bukaa ku Qufaco ama Hindhiso meel u dhaw qofka caafimaad-qaba

TB is passed between people through the air when a person who is sick with TB coughs or sneezes near someone.

(sawirka dhexdiisa)

Hore-u-gaadh Xarunta Caafimaadka, hadaad qabto calaamadahan
Qaaxada ee soo socda:

Go to a clinic if you have the following signs of TB:

- Qufac laba illaa saddex todobaad iyo ka-badan soconayey
 - Coughing for three weeks or more
- Laab-xanuun
 - Chest pain
- Neefsashada oo ku dhibta
 - Trouble breathing
- Caato
 - Losing weight
- Qandho
 - Fever
- Dhidid habeennimo
 - Sweating at night
- Tamar-xumo
 - Being tired all the time



Ha sugin! Qaaxada waa laga bogsan karaa!

Don't wait! TB can be cured