11 January 2021 – As part of its effort to address violence against women and girls, the WHO Regional Office for the Eastern Mediterranean is pleased to launch the Arabic. These "Respect Framework for Preventing Violence against Women" and "Clinical Management of Rape and Intimate Partner Survivors Guideline" version of the of the two fundamental tools address prevention and the response to violence against women, whether sexual or by an intimate partner, in both the development and humanitarian context.

This effort is aligned with the work of WHO and partners towards achieving related Sustainable Development Goals (SDGs) targets, and within the mandate of WHO's global plan of action to strengthen the health systems response to violence against women and against children endorsed by the World Health Assembly in 2016, the United Nations General Assembly Resolutions on Women, Peace and Security and other Member State commitments (e.g. agreed conclusions of the CSW 57).

This translation maximizes benefit from these 2 important documents in the Eastern Mediterranean Region as it allows proper dissemination and easy access for thousands of users from different countries.

Clinical management of rape and intimate partner survivors guideline

## Clinical management of rape and intimate partner violence survivors


Developing protocols for use in humanitarian settings



In 2004, World Health Organization (WHO), the United Nations High Commissioner for Updated Clinical management of rape and intimate partner survivors guideline

Refugees (UNHCR) and the United Nations Population Fund (UNFPA) developed the "Clinical management of rape survivors: developing protocols for use with refugees and internally displaced persons". In 2019, based on new available evidence and tools, WHO, the United Nations Population Fund and UNHCR produced an updated version of "Clinical Management of Rape and Intimate Partner Violence Survivors Guideline (2020)".


This update aims to bring alignment with the more recent WHO guidelines on providing clinical care to survivors of rape. It includes additional information on responding to the needs of survivors of intimate partner/domestic violence, and on addressing the mental health needs of gender-based violence survivors.



Humanitarian settings put women and children are at increased risk of violence. The high rates of sexual violence and intimate partner violence are well <a href="Arabic version">Arabic version</a>
documented and constitute a serious violation of international humanitarian law and human rights law.

The guideline is intended for use by qualified health-care providers (medical doctors, clinical officers, midwives and nurses) working in humanitarian emergencies or other similar settings, and who wish to develop specific protocols for medical care of survivors of sexual violence and domestic/partner violence.

RESPECT framework for preventing violence against women



TBuilding toothis; NSHOt familiating their isompulated the chain and interest in the problem of RESPECT will help to address violence against women and problem an