



## **2. QUALITY OF CLINICAL CARE**

- **Assessment**
- **Classification**
- **TREATMENT AND ADVICE**

**MANAGEMENT OF SEVERE CASES NEEDING URGENT REFERRAL (N = 14):  
SEVERE CASES IDENTIFIED AND REFERRED**




## PRESCRIPTION OF RECOMMENDED ORAL ANTIBIOTIC TREATMENT (N = 80 CASES WITH "IMCI CONDITIONS" NEEDING ORAL ANTIBIOTICS)




# PRESCRIPTION OF RECOMMENDED ORAL ANTIBIOTIC TREATMENT FOR IMCI CONDITIONS (1)


## TRAINED vs UNTRAINED




**PRESCRIPTION OF RECOMMENDED ORAL ANTIBIOTICS FOR  
IMCI CONDITIONS (2)  
TRAINED vs UNTRAINED**



**CARETAKER CORRECT KNOWLEDGE ABOUT ORAL ANTIBIOTIC TREATMENT (IMCI CONDITIONS)**  
**TRAINED vs UNTRAINED**




**CARETAKER'S POTENTIAL COMPLIANCE WITH PROVIDER'S ADVICE ON  
DURATION OF ORAL ANTIBIOTIC TREATMENT  
SHOULD CHILD GET BETTER BEFORE COMPLETING TREATMENT COURSE**




**RATIONAL USE OF DRUGS:  
CASES NOT NEEDING ANTIBIOTICS GIVEN NO ANTIBIOTICS (N = 254)**

**Cases correctly prescribed  
no antibiotics  
63%**




**Cases prescribed antibiotics  
but not needing them  
37%**


## RATIONAL USE OF ANTIBIOTICS TRAINED vs UNTRAINED




## PRESCRIPTION OF RECOMMENDED ORAL ANTIMALARIAL TREATMENT (N = 62)




## PRESCRIPTION OF ORAL ANTIMALARIAL TREATMENT TRAINED vs UNTRAINED




## PRESCRIPTION OF ORAL ANTIMALARIALS TRAINED vs UNTRAINED




## CARETAKER CORRECT KNOWLEDGE ABOUT ANTIMALARIAL TREATMENT TRAINED vs UNTRAINED




## ADVICE ON ORS TRAINED vs UNTRAINED




## CARETAKER KNOWLEDGE ABOUT ORS PREPARATION AND ADMINISTRATION TRAINED vs UNTRAINED



## OTHER CURATIVE AND PREVENTIVE TREATMENTS AND OPPORTUNITIES FOR IMMUNIZATION FOR NON-REFERRED CASES




## CASES GIVEN ADVICE ON HOME CARE BY PROVIDER AND CARETAKER KNOWLEDGE




## ADVICE ON HOME CARE GIVEN BY PROVIDER TRAINED vs UNTRAINED




## CARETAKERS ADVISED ON SIGNS TO RETURN IMMEDIATELY AND KNOWING ABOUT THEM




## CARETAKERS GIVEN AGE-APPROPRIATE ADVICE ON FREQUENCY OF FEEDING



## MOSQUITO BEDNETS AND THEIR USE (N = 350)



## USE OF HOME CARE CARD AND COMMUNICATION TECHNIQUES



## USE OF HOME CARE CARD AND COMMUNICATION TECHNIQUES TRAINED vs UNTRAINED

