

## Research articles

[Hepatitis B and C viral infections in chronic liver disease: a populationbased study in Qatar](#)

[Combination therapy with interferon and ribavirin for chronic hepatitis C infection in beta-thalassaemia major](#)

[Does sputum culture affect the management and/or outcome of community-acquired pneumonia?](#)

[Pattern of varicella and associated complications in children in United Arab Emirates: 5-year descriptive study](#)

[T-cell cytokine production and endothelial dysfunction in type 2 diabetic patients with nephropathy](#)

[Colorectal cancer: case–control study of sociodemographic, lifestyle and anthropometric parameters in Riyadh](#)

[Risk factors for hypertension among the adult Moroccan population](#)

[Antioxidant status and lipid peroxidation activity in evaluating hepatocellular damage in children](#)

[High frequency of low serum levels of vitamin B12 among patients attending Jordan University Hospital](#)

[Hymen care for unmarried Muslim females: role of the forensic consultant in gynaecology interventions](#)

[Caesarean delivery rates, determinants and indications in Makassed Hospital, Jerusalem 1993 and 2002](#)

[Prevalence estimate of intimate partner violence in Jordan](#)

[Implications of the use of the new WHO growth charts on the interpretation of malnutrition and obesity in infants and young children in Oman](#)

[Waist circumference: a better index of fat location than WHR for predicting lipid profile in overweight/ obese Iranian women](#)

[Osteoporosis knowledge among female school students in Jordan](#)

[Beliefs, perceptions and practices about asthma among Iranian asthma patients](#)

[Knowledge, attitudes, beliefs and practices in Lebanon concerning HIV/AIDS, 1996–2004](#)

[Relationship of pharmacist interaction with patient knowledge of dispensed drugs and patient satisfaction](#)

[Effects of a continuous care model on perceived quality of life of spouses of haemodialysis patients](#)

[Food sanitation practices in restaurants of Ramallah and Al-Bireh district of Palestine](#)

[Factors determining choice of health care provider in Jordan](#)

[Tobacco education in medical schools: survey among primary care physicians in Bahrain](#)

[Do smokers benefit from dental hygiene oral prophylaxis? A Nigerian pilot study](#)

[Correlates of ever-smoking habit among adolescents in Tabuk, Saudi Arabia](#)

[National survey of the oral health of 12- and 15-year-old schoolchildren in the United Arab Emirates](#)

[Pattern of acute poisoning in Al- Qassim region: a surveillance report from Saudi Arabia, 1999–2003](#)

## **Review**

[Growing burden of noncommunicable diseases: the contributory role of oral diseases, Eastern Mediterranean Region perspective](#)

## **Report**

[Community-based diabetes programme: the micro-clinic project](#)

## **Short communication**

[Paediatric gastrointestinal endoscopy: experience in a Sudanese university hospital](#)

Prevalence of cigarette smoking in the Rafsanjan urban population

Rafsanjan AIDS clinic 1996–2005: problems faced and solutions found

## **Case report**

Brucella meningitis: first reported case in Egypt

Friday 3rd of May 2024 05:56:27 PM