

Research articles

[Mental health services in the Arab world](#)

[Relapse among substance-abuse patients in Riyadh, Saudi Arabia](#)

[Levels of disability among the elderly in institutionalized and home-based care in Bahrain](#)

[A retrospective audit of electroconvulsive therapy at King Khalid University Hospital, Saudi Arabia](#)

[Motor terminal latency index in carpal tunnel syndrome](#)

[Role of health education programmes within the Libyan community](#)

[Safer roads for children in the United Arab Emirates](#)

[Violence among schoolchildren in Alexandria](#)

[Nucleolus organizer region heteromorphism in patients with Down syndrome and their parents](#)

[Correlates of age at natural menopause: a community-based study in Alexandria](#)

[The use of medication in infants in Alexandria, Egypt](#)

[L'antibiothérapie en médecine générale à Monastir, Tunisie](#)

[Fungal infection of burn wounds in patients with open and occlusive treatment methods](#)

[Prevalence of malocclusion in a sample of Lebanese schoolchildren: an epidemiological study](#)

[Iron status of Libyan infants with urinary tract infection](#)

[Bronchoconstrictor effect of exercise in healthy Libyan children in Tripoli](#)

[Eating disorders: a transcultural perspective](#)

[الدراسات المنهجية في طب الأسرة: دورها في تحسين الرعاية الصحية](#)
(الدراسات المنهجية)

[Mental health manpower development in Afghanistan: a report on a training course for primary health care physicians](#)

[Integration of mental health into primary care in Al-Qassim Region, Saudi Arabia: planning phase I](#)

[Integration of mental health into primary care in Al-Qassim Region, Saudi Arabia: curriculum development II](#)

[Secnidazole response in amoebiasis and giardiasis](#)

Friday 3rd of May 2024 11:10:14 AM