

## Research articles

[Evaluation of the routine hepatitis B immunization programme in Palestine, 1996](#)

[Hepatic fibrosis due to fascioliasis and/or schistosomiasis in Abis 1 village, Egypt](#)

[Childhood visceral leishmaniasis complicated by bacterial infections](#)

[Cutaneous leishmaniasis in the Libyan Arab Jamahiriya: a study of the Yafran area](#)

[Comparison between Toxoplasma gondii DNA and specific immunoglobulins during pregnancy](#)

[Detection of Cryptosporidium parvum antigen by co-agglutination test and ELISA](#)

[Coccidial infection in immunosuppressed mice: prophylaxis and treatment with dehydroepiandrosterone](#)

[Specific IgG avidity in acute and chronic human fascioliasis](#)

[Effects of single-dose praziquantel on morbidity and mortality resulting from intestinal schistosomiasis](#)

[Epidemiological study of heterophyiasis among humans in an area of Egypt](#)

[Antimalarials prescribing patterns in Gezira State: precepts and practices](#)

[Staphylococcus aureus as a paradigm of a persistent problem of bacterial multiple antibiotic resistance in Abha, Saudi Arabia](#)

[Acute respiratory infections in primary health care centres in northern Saudi Arabia](#)

[Ringworm of the scalp in primary-school children in Alexandria: infection and carriage](#)

[Cost-effectiveness and efficacy of CHROMagar™ Candida medium in clinical specimens](#)

[Biochemical effects of vinyl chloride monomer on the liver of occupationally exposed workers](#)

[Comportements liés à la santé bucco-dentaire chez les écoliers au Liban-Nord](#)

[Measurement of the mandibular dental arch in Baghdad patients](#)

[Oral health practices and dental caries among Libyan pupils, Benghazi \(1993-94\)](#)

[Anaemia among young male workers in Alexandria, Egypt](#)

[Anaemia among Egyptian adolescents: prevalence and determinants](#)

[Induction of leukaemia in chloramphenicol-treated toads](#)

[Diabetic ketoacidosis in southern Jordan: five-year experience](#)

[Prevalence of diabetes mellitus and impaired glucose tolerance in a rural Palestinian population](#)

[Study of cardiovascular disease risk factors among urban schoolchildren in Sousse, Tunisia](#)

[Predictive models for mortality and length of hospital stay in an Egyptian burns centre](#)

[DNA proliferative index as a marker in Iraqi aneuploid mammary carcinoma](#)

[Clinical performance of intrauterine device TCU-380 A in Benghazi, Libyan Arab Jamahiriya](#)

[Ultrasonography versus radiography in the diagnosis of maxillary sinusitis](#)

[Noncommunicable diseases among the Bahraini population: a review](#)

[Review of leprosy cases in Benghazi, Libyan Arab Jamahiriya, 1994-98](#)

[HIV infection in patients with tuberculosis in Baghdad \(1996-98\)](#)

[Antibiotic resistance of Moroccan strains of Salmonella enteritidis isolated between 1996 and](#)

1997

Hepatitis B surface antigen and anti-hepatitis C antibodies among blood donors in the Islamic Republic of Iran

Gallstone ileus in the Jordanian Royal Medical Services in a 10-year period

Incidence of rhesus isoimmunization in rhesus-negative mothers in Ramadi, Iraq, in the mid-1990s

Who uses the emergency room services?

Pulmonary alveolar microlithiasis: an overlooked disease in Iraq

Tuberculous abscesses of the quadriceps femoris muscle without osseous involvement

Monday 6th of May 2024 11:57:00 PM