


WEEKLY AWD/CHOLERA SITUATION REPORT - SOMALIA

Epidemiological Week 24(10th 16th-June 2019)

Highlights

- During week 24, a total of 152 new cases and no deaths were reported from 14 districts of Banadir region. No cholera cases were reported from other regions
- Since December 2017, a total of 7,802 cumulative cases including 46 deaths (CFR 0.6%) were reported from 3 states of Somalia (Hirshabelle, Jubbaland and South West state) and Banadir region
- Since December 2017 a cumulative attack rate of 183 person per 100,000 population was reported with Kismayo (Jubbaland) and Daynile (Banadir) the most affected.
- The overall case Fatality Rate (CFR 0.6%) was reported with Daynile, Waberi, Karan and Kurtunwarey exceeding the WHO's threshold of <1%
- Of the 640 stool samples tested since December 2017, a total of 146 samples were tested positive for *Vibrio cholera* serotype.

Trends of cholera cases and deaths in Somalia from week 24/2018 to week 24/2019




152 new cases reported in week 24, of which 0 were deaths

7,802 cumulative cases and 46 deaths reported since December 2017

3,756 cumulative cases and 46 deaths reported since December 2017

Suspected cholera cases


Distribution of cholera cases from December 2017 to week 22/2019



Region	District
Banadir	Darkanle
	Daynile
	HamarJale
	Hawlwarey
	Hodan
	Bondar
	Karaan
	Kahdha
	Madina
	Waberi
	Shibis
	Shingar
	Abdiaz
	HamarWarey
Hollwarey	
Hirshabelle	Warta nab
	Yaqshid
Jubbaland	Bolotwey
	Bulo bar
South West	Jowhar
	Afgoye
Total	Brava
	Kurtunwarey
	Marka

* Case fatality rate >1% has

Cholera cases by state in Somalia, December 2017 to June 2019



Published by World Health Organization (WHO), Country Office, Mogadishu, Somalia

For Correspondence: Tel: +252616695096; Email address: emacosomwr@who.int; URL: <http://www.emro.who.int/countries/som/index.html>

Highlights

- During week 24, a total of 152 new cases and no deaths were reported from 14 districts of Banadir region. No cholera cases were reported from other regions.
- Since December 2017, a total of 7,802 cumulative cases including 46 deaths (CFR 0.6%) were reported from 3 states of Somalia (Hirshabelle, Jubbaland and South West state) and Banadir region.
- Since December 2017 a cumulative attack rate of 183 persons per 100,000 population was reported with Kismayo (Jubbaland) and Daynile (Banadir) the most affected.
- The overall case Fatality Rate (CFR 0.6%) was reported with Daynile, Waberi, Karan and Kurtunwarey exceeding the WHO's threshold of <1%.
- Of the 640 stool samples tested since December 2017, a total of 146 samples were tested positive for *Vibrio cholerae* serotype.

[Read the full update](#) Highlights Published by World Health Organization (WHO), Country Office, Mogadishu, Somalia For Correspondence: Tel: +252616695096; Email address: emacosomwr@who.int; URL: <http://www.emro.who.int/countries/som/index.html>

During week 24, a total of 152 new cases and no deaths were reported from 14 districts of Banadir region. No cholera cases were reported from other regions

Since December 2017, a total of 7,802 cumulative cases including 46 deaths (CFR 0.6%) were reported from 3 states of Somalia (Hirshabelle, Jubbaland and South West state) and Banadir region

Since December 2017 a cumulative attack rate of 183 person per 100,000 population was reported with Kismayo (Jubbaland) and Daynile (Banadir) the most affected.

The overall case Fatality Rate (CFR 0.6%) was reported with Daynile, Waberi, Karan and Kurtunwarey exceeding the WHO's threshold of <1%

Of the 640 stool samples tested since December 2017, a total of 146 samples were tested positive for Vibrio cholera serotype.

Friday 3rd of May 2024 06:20:38 AM