19 September 2019 - The Ministry of Public Health and Population of Yemen reported 18 546 suspected cases and 10 associated deaths during epidemiological week 35 (20 August – 1 September) of 2019. Ten percent of cases were severe. The cumulative total number of suspected cholera cases from 1 January 2018 to 1 September 2019 is 991 674, with 1350 associated deaths (CFR 0.14%). Children under five represent 25% of total suspected cases during 2019. The outbreak has affected 22 of 23 governorates and 305 of 333 districts in Yemen.

From week 8 in 2019, the trend of weekly reported suspected cholera cases started increasing and reached more than 29 500 cases in week 14. That were the maximum number of cases reported so far. The trend of suspected cases then fluctuated over the following weeks until week 33 when it stabilized.

The governorates reporting the highest number of suspected cases of cholera during 2019 were Amanat Al Asimah (87 234), Al Hudaydah (86 046) Sana'a (76 884), Hajjah (58 216), Dhamar (52 099), Ibb (55 538) and Amran (40 238).

Of a total of 90 552 samples tested since January 2019, 4429 have been confirmed as cholera-positive by culture at the central public health laboratories. During this reporting period the governorates reporting the highest number of positive culture were Taizz (1120), Amanat Al Asimah (1248) and Sana'a (440).

WHO continues to provide leadership and supports activities with the health authorities and partners to respond to this ongoing cholera outbreak including case management; surveillance and laboratory investigations; hotspot mapping and oral cholera vaccine (OCV) campaign planning; water, sanitation and hygiene (WaSH); and risk communication.

Friday 2nd of May 2025 09:16:51 PM