

The 2020-2021 influenza season has been characterized by a very low level of influenza activity in the Eastern Mediterranean Region (EMR) and elsewhere. This is in contrast to the 2019-2020 season, which was marked by a high level of influenza activity.

Background:

The 2020-2021 influenza season has been characterized by a very low level of influenza activity in the Eastern Mediterranean Region (EMR) and elsewhere. This is in contrast to the 2019-2020 season, which was marked by a high level of influenza activity.

The 2020-2021 influenza season has been characterized by a very low level of influenza activity in the Eastern Mediterranean Region (EMR) and elsewhere. This is in contrast to the 2019-2020 season, which was marked by a high level of influenza activity. The 2020-2021 season is dominated by influenza A (H1N1) viruses.

The 2020-2021 influenza season has been characterized by a very low level of influenza activity in the Eastern Mediterranean Region (EMR) and elsewhere. This is in contrast to the 2019-2020 season, which was marked by a high level of influenza activity.

Conclusions:

The 2020-2021 influenza season has been characterized by a very low level of influenza activity in the Eastern Mediterranean Region (EMR) and elsewhere. This is in contrast to the 2019-2020 season, which was marked by a high level of influenza activity.

The 2020-2021 influenza season has been characterized by a very low level of influenza activity in the Eastern Mediterranean Region (EMR) and elsewhere. This is in contrast to the 2019-2020 season, which was marked by a high level of influenza activity. The 2020-2021 season is dominated by influenza A (H1N1) viruses.

[Placeholder text]

[Placeholder text]

[Placeholder text]

[Placeholder text]

[Placeholder text]

[Placeholder text]

