

## Highlights

- From 27 April to 15 July 2017, 344 751 suspected cholera cases and 1 784 deaths (CFR: 0.5%) have been reported in 91.3% (21/23) of Yemen governorates, and 87.7% (292/333) of the districts.

## Geographical distribution of cases

The **five** most affected governorates were Amanat Al Asimah, Al Hudaydah, Hajjah, Amran and Ibb with 54.0% (186 175/344 751) of the cases reported **since 27 April 2017**. Al Dhale'e, Al Mahwit and Amran governorates had the highest attack rates (25.1‰, 24.9‰ and 23.2‰ respectively), and Raymah governorate the highest case fatality ratio (1.4%) (see table).

Number of suspected cholera cases & deaths, AR and CFR by governorate, Yemen, 27 April – 15 July 2017

Governorates	Cases	Deaths	CFR (%)	Attack Rate (‰)
Amanat Al Asimah	45 227	56	0.1	13.7
Al-Hudaydah	41 835	204	0.5	12.5
Hajjah	37 018	345	0.9	16.7
Amran	35 419	149	0.4	<b>23.2</b>
Ibb	26 676	230	0.9	8.7
Sana'a	25 212	113	0.4	20.2
Taizz	24 303	157	0.6	8.0
Dhamar	23 525	118	0.5	11.1
Al Mahwit	18 963	115	0.6	<b>24.9</b>
Al Dhale'e	18 902	73	0.4	<b>25.1</b>
Aden	10 518	48	0.5	11.0
Al Bayda	10 448	24	0.2	13.6
Abyan	9 994	31	0.3	16.3
Raymah	6 254	85	<b>1.4</b>	9.9
Lahj	4 540	16	0.4	4.3
Al_Jawf	2 772	13	0.5	4.3
Ma'areb	1 687	4	0.2	4.7
Sa'ada	679	1	0.1	0.8
AL Mahrah	484	1	0.2	3.0
Shabwah	291	1	0.3	0.4
Say'on	4	-	-	0.0
<b>Total</b>	<b>344 751</b>	<b>1 784</b>	<b>0.5</b>	<b>11.6</b>

Al Hali (Al Hudaydah gov., 13 445 cases, 23 deaths), Bani Al Harith (Amanat Al Asimah gov., 8 754 cases, 10 deaths), Ma'ain (Amanat Al Asimah gov., 8 682 cases, 7 deaths), As Sabain (Amanat Al Asimah gov., 6 802 cases, 10 deaths), and Al Hawak (Al Hudaydah gov., 6 525 cases, 11 deaths) were the **five** most affected districts.

**For further information:**

Dr Xavier de Radiguès  
C: +967 738 445 522

Lauren O'Connor  
Communication officer  
[occonnorl@who.int](mailto:occonnorl@who.int)

**Note:** This report is an update to the weekly epidemiology bulletin.