

**Table 4. Scores for epidemiological criteria for viral haemorrhagic fever in countries of the Eastern Mediterranean Region, 1995–2015**

Country	Criterion						Total score
	Reported cases	Reported deaths	Prevalence in general population	Prevalence in high-risk groups	Prevalence in vectors	Prevalence in reservoir	
Afghanistan	6	2	2	7	0	2	19
Bahrain	0	0	0	0	0	0	0
Djibouti	2	0	5	1	0	0	8
Egypt	4	2	2	5	2	1	16
Iraq	2	2	0	0	0	0	4
Islamic Republic of Iran	3	1	3	3	2	4	16
Jordan	0	0	0	1	0	0	1
Kuwait	0	0	0	3	0	2	5
Lebanon	0	0	0	0	1	0	1
Libya	0	0	0	0	0	0	0
Morocco	2	2	2	0	1	3	10
Oman	2	3	0	2	2	2	11
Pakistan	6	4	0	2	0	0	12
Palestine	0	0	0	0	0	0	0
Qatar	0	0	0	0	0	0	0
Saudi Arabia	6	5	2	8	2	3	26
Somalia	3	2	0	0	0	2	7
Sudan	9	9	0	2	0	1	21
Syrian Arab Republic	0	0	0	0	1	0	1
Tunisia	2	2	2	2	0	1	9
United Arab Emirates	1	2	0	1	0	0	4
Yemen	3	3	0	0	0	2	8