

Table 2 Frequency distribution and relative frequency of fever, abnormal vaginal discharge, shock, septic abortion unwanted pregnancies in women with abortion in Isfahan, Islamic Republic of Iran

Variable	Spontaneous abortion		Illegally-induced abortion		Total		Crude odds ratio	95% CI
	No.	%	No.	%	No.	%		
<i>Fever</i>								
No	357	97	44	88.	401	99.2	4.86	1.68–14.04
Yes	10	2.7	6	12.0	16	0.8		
<i>P</i> > 0.05								
<i>Abnormal vaginal discharge</i>								
No	319	86	41	82.	360	86.5	1.46	0.62 – 3.36
Yes	48	13.	9	18.0	57	13.5		
<i>P</i> > 0.05								
<i>Septic shock</i>								
No	365	99	47	94.	412	98.8	11.64	1.89–71.52
Yes	2	0.6	3	6.0	5	1.1		
Fisher exact test, <i>P</i> < 0.014								
<i>Septic abortion</i>								
No	257	70	27	54.	284	68.1	1.90	1.09–3.63
Yes	110	29	23	46.0	133	31.9		
<i>P</i> < 0.02								
<i>Pregnancy wanted</i>								
Wanted	262	71	11	22.	273	65.5	8.84	4.36–17.93
Unwanted	105	28	39	78.0	144	34.5		
<i>P</i> < 0.0001								
<i>Total</i>	367	100	50	100.	417	100.0		

CI = confidence interval.