## Table 8 Relation between reported level of sport practice and smoking habit according to sex

| Sex and  | Smoking habit                                    |       |         |       |           |       |        |       |       |   |
|----------|--|-------|---------|-------|-----------|-------|--------|-------|-------|---|
| sport    | Non-smoker                                       |       | Passive |       | Ex-smoker |       | Smoker |       | Total |   |
| practice | No.  | %     | No.     | %     | No.       | %     | No.    | %     | No.   | % |
| Female   |  |       |         |       |           |       |        |       |       |   |
| None     | 165  | 35.0  | 35      | 33.0  | 9         | 34.6  | 15     | 41.7  | 224   |   |
| 35.0     |  |       |         |       |           |       |        |       |       |   |
| Poor     | 216  | 45.8  | 50      | 47.2  | 13        | 50.0  | 10     | 27.8  | 289   |   |
| 45.2     |  |       |         |       |           |       |        |       |       |   |
| Accepted | 26   | 5.5   | 4       | 3.8   | 2         | 7.7   | 1      | 2.8   | 33    |   |
| 5.2      |  |       |         |       |           |       |        |       |       |   |
| Good     | 65   | 13.8  | 17      | 16.0  | 2         | 7.7   | 10     | 27.8  | 94    |   |
| 14.7     |  |       |         |       |           |       |        |       |       |   |
| Total    | 472  | 100.0 | 106     | 100.0 | 26        | 100.0 | 36     | 100.0 | 640   |   |
| 100.0    |  |       |         |       |           |       |        |       |       |   |
|          | Likelihood ratio <sub>9</sub> = 9.69; $P > 0.05$ |       |         |       |           |       |        |       |       |   |
| Male     |  |       |         |       |           | -     |        |       |       |   |
| None     | 43   | 9.3   | 23      | 9.7   | 11        | 26.2  | 12     | 13.0  | 89    |   |
| 10.7     |  |       |         | ,     |           |       | _      |       |       |   |