Knowledge, attitude **Educational level** and practices and Illiterate **Primary** Secondary/higher past history of STI (n = 14)(n = 35)(n = 24)manifestations No. % No. % No. %

Table 3 Knowledge, attitude and practices of men who have sex with men towards sexually transmitted

| Know about HIV/AIDS               | 7 | 50.0 | 31 |
|-----------------------------------|---|------|----|
| Realize possibility of HIV risk   |   |      |    |
| of infection                      | 4 | 8.6  | 15 |
| Perception of protective value of |   |      |    |

n = total number of respondents.

infections (STIs) including HIV/AIDS and past history of manifestations of STIs

88.6

42.9

22

15

91.7

62.5

| condoms against HIV infection   | 2 | 14.3 | 19 | 54.3 | 15 | 62.5 |
|---|---|------|----|------|----|------|
| Ever used condom or asked partner to use it during last 3 months  | 2 | 14.3 | 20 | 57.3 | 13 | 54.2 |
| Ever complained of discharge, painful<br>micturition or defecation or ulcers on<br>sexual organs during last 6 months | 9 | 64.3 | 17 | 48.6 | 9  | 37.5 |
| Ever complained of discharge from<br>urethral or anal canal or ulcers on  |   |      |    |      |    |      |
| sexual organs during last 6 months  | 4 | 28.4 | 20 | 57.1 | 8  | 33.3 |

| metantion of delegation of dicers on |   |      |    |      |   |      |
|--------------------------------------|---|------|----|------|---|------|
| sexual organs during last 6 months   | 9 | 64.3 | 17 | 48.6 | 9 | 37.5 |
| Ever complained of discharge from    |   |      |    |      |   |      |
| urethral or anal canal or ulcers on  |   |      |    |      |   |      |
| cavual argans during last 6 months   | 1 | 28.4 | 20 | 57 1 | Q | 333  |