

**Table 1 Characteristics of groups occupationally and environmentally exposed to asbestos**

Characteristic	Occupationally exposed ( <i>n</i> = 487)		Environmentally exposed ( <i>n</i> = 2913)		Test	<i>P</i> -value
	No.	%	No.	%		
<i>Mean (SD) age (years)</i>	46.5 (3.9)		57.5 (8.9)		<i>t</i> = 740.07	< 0.001
<i>Sex</i>	<b>No.</b>	<b>%</b>	<b>No.</b>	<b>%</b>	$\chi^2 = 350.56$	< 0.001
Male	487	100.0	1616	55.5		
Female	0	0.0	1297	45.5		
<i>Mean (SD) intensity of exposure to asbestos (f/mL)</i>	0.59 (0.76)		0.38 (0.87)		Mann–Whitney test = 1.56	< 0.001
<i>Duration of residence in area or employment in factory (years)</i>	<b>No.</b>	<b>%</b>	<b>No.</b>	<b>%</b>	$\chi^2 = 33.50$	< 0.001
0–10	47	10.0	307	10.5		
11–20	107	22.0	616	21.2		
21–30	88	18.0	837	28.7		
31–40	47	30.0	618	21.2		
> 40	98	20.0	535	18.4		
<i>Malignant pleural mesothelioma</i>					$\chi^2 = 6.88$	< 0.001
+ve	4	0.8	83	2.8		
–ve	483	99.2	2830	97.2		

*n* = total number of people examined.