Knowledge item	Satisfactory score (≥ 60%)						Between pre- and		Between	
	Pre- intervention (n = 98)		Post- intervention (n = 98)		Follow-up (n = 98)		post-intervention		pre-intervention and follow-up	
	No.	- 50) %	No.	%	No.	%	χ^2	P-value	χ^2	P-value
Definition of risk	7	7.1	97	99.0	68	69.4	165.93	< 0.001	80.37	< 0.001
Risk management system Incidents:	32	32.7	96	98.0	87	88.8	92.24	< 0.001	64.71	< 0.001
Notification	31	31.6	96	98.0	72	73.5	94.50	< 0.001	34.40	< 0.001
Reporting	24	24.5	98	100.0	85	86.7	118.89	< 0.001	7.91	< 0.001
Prevention	32	32.7	90	91.8	77	21.4	73.03	< 0.001	41.85	< 0.001
Causes	15	15.3	15	15.3	14	14.3	_	_	0.04	0.84

6

97

98

97

6.1

99.0

100.0

99.0

0.04

9.11

26.46

11.56

0.85

< 0.001

< 0.001

0.003

5.12

25.54

76.45

30.86

0.02

< 0.001

< 0.001

< 0.001

Table 5 Baseline knowledge course implementation about risk management among nurses in the study

sample throughout the study phases

16

73

43

69

16.3

74.5

43.9

70.4

17

89

78

88

17.3

90.8

79.6

89.8

Types

Susceptibility

Risk of falls

Age at risk