

Knowledge item	Barbers ( <i>n</i> = 308)		Clients ( <i>n</i> = 308)		Total ( <i>n</i> = 616)		$\chi^2$ -value	<i>P</i> -value
	No.	%	No.	%	No.	%		
<b>General awareness</b>								
Ever heard about liver diseases	268	87.0	284	92.2	552	89.6	3.92	0.048*
Ever heard about viral hepatitis B & C	265	86.0	250	81.2	515	83.6	2.32	0.128
Knew modes of transmission								
Blood transfusion	285	92.5	290	94.2	575	93.3	0.42	0.518
Reusing needles	279	90.6	289	93.8	568	92.2	1.83	1.176
Dental procedures	261	84.7	275	89.3	536	87.0	2.43	0.119
IV drug use	271	88.0	262	85.1	533	86.5	0.89	0.345
Scissors/surgical instruments	256	83.1	271	88.0	527	85.5	2.57	0.109
Barbers shaving instruments	239	77.6	254	82.5	493	80.0	1.99	0.158
Ear/body piercing	205	66.6	230	74.7	435	70.6	4.51	0.034*
Sexual contact	203	65.9	217	70.5	420	68.2	1.26	0.261
Tattooing	196	63.6	223	72.4	419	68.0	5.04	0.025*
Sharing utensils	150	48.7	167	54.4	317	51.5	1.66	0.197
Food	114	37.0	126	40.9	240	39.0	0.83	0.363
Water	78	25.3	104	33.8	182	29.5	4.87	0.027*
Others	103	33.4	56	18.2	159	25.8	17.94	0.001*
<b>Complications/treatment of viral hepatitis</b>								
On liver	43	14.0	64	20.8	107	17.4	4.52	0.033*
On general health	32	10.4	33	10.7	65	10.6	0.02	0.895
Presence of HBV treatment	55	17.9	57	18.5	112	18.2	0.01	0.917
Presence of vaccine for HBV	125	40.6	138	44.8	263	42.7	0.96	0.328
Presence of HCV treatment	111	36.0	89	28.9	200	32.5	3.27	0.071
Presence of vaccine for HCV	81	26.3	73	23.7	154	25.0	0.42	0.515
<b>Source of information</b>								
Friends & relatives	142	46.1	153	49.7	295	47.9	0.650	0.420
Television	148	40.1	117	38.0	265	43.0	5.960	0.014*
Newspapers	99	32.1	127	41.2	226	36.7	5.090	0.024*
Doctors	76	24.7	109	35.4	185	30.0	7.910	0.005*
Radio	61	19.8	74	24.0	135	21.9	1.370	0.245
Health care workers	16	5.2	44	14.3	60	9.7	13.46	0.001*
Others	47	15.2	15	4.9	62	10.1	17.12	0.001*

\**P* < 0.05.  
 More than 1 answer was reported.  
 IV = intravenous.