

Table 6 Age distribution of the study samples by type of noncommunicable disease (NCD)

	Admissions					Deaths				
	< 15 yrs	15-24 yrs	25-49 yrs	50-59 yrs	60+ yrs	< 15 yrs	15-24 yrs	25-49 yrs	50-59 yrs	60+ yrs
	(n = 45)	(n = 52)	(n = 91)	(n = 26)	(n = 27)	(n = 16)	(n = 20)	(n = 65)	(n = 31)	(n = 113)
GIT disorder	62.2	51.9	59.3	53.8	55.6	18.8	35.0	38.5	32.3	38.9
Cancer	8.9	0.0	4.4	7.7	0.0	25.0	10.0	18.5	6.5	19.5
Cardiac disorder	2.2	7.7	4.4	0.0	0.0	0.0	15.0	12.3	12.9	16.8
Neurological disorder	0.0	1.9	4.4	0.0	3.7	12.5	20.0	12.3	12.9	9.7
Respiratory disorder	8.9	7.7	7.7	7.7	14.8	6.3	0.0	4.6	3.2	5.3
Diabetes	2.2	0.0	1.1	0.0	3.7	6.3	5.0	3.1	16.1	1.8
Congenital disorder	0.0	3.8	2.2	7.7	3.7	18.8	5.0	1.5	3.2	0.9
Other	15.6	26.9	14.4	19.2	18.5	12.6	10.0	9.2	13.0	7.1
Data missing	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data about 1 death were missing.
GIT = gastrointestinal tract.