	Al-Shifa (ward-stock) (n = 58)		European Gaza (unit-dose) (n = 29)			
	No.	%	No.	%		
Drug shortages experienced in the last year					8.2	0.084
Seldom	3	5.2	7	24.2		
Sometimes	44	75.9	21	72.4		
Often	11	18.9	1	3.4		
Patients most affected by drug shortages					15.9	0.001
Newly admitted cases	18	31.0	22	75.9		

5.2

63.8

27.6

13.8

58.6

69.0

31.0

36.2

63.8

44.8

22.4

32.8

55.0

45.0

83.0

17.0

55.0

45.0

60.3

39.7

0

7

12

6

11

0

29

25

4

24

4

1

9

20

21

8

29

0

27

2

0.0

24.1

41.4

20.7

37.9

0.0

100.0

86.2

13.8

82.8

13.8

3.4

31.0

69.0

72.5

27.5

100.0

0.0

93.1

6.9

3

37

16

8

34

40

18

21

37

26

13

19

32

26

49

9

32

26

35

23

Table 1 Practices and perceptions of pharmacists and head nurses in hospitals with different drug dispensing systems (DDS)

Hospital (DDS system)

x2-value

3.6

19.8

10.8

15.3

1.7

2.31

8.1

10.13

P-value

0.301

0.001

0.002

0.002

0.63

0.315

0.044

0.001

Variable

Both

Disagree

Agree

Long

Normal

Previously admitted cases

Neither agree nor disagree

Returned to pharmacy

Neither agree nor disagree

Remain in ward

drugs (irrational use)

Disagree

Agree

Low

Very low

Never

Seldom

Yes

No

Yes

No

Time needed for nurses to manage medications

Method of dealing with unused drugs on the wards

Perception of presence of high number of missing

Perception of rate of medication errors in hospital

Satisfied with the DDS and wish to continue using it

Report medication errors that may happen

Check the ward-stock drugs for expiry

n = number of pharmacists and head nurses.

DDS requires extra staff