

Table 1 Baseline and follow-up characteristics of congestive heart failure patients

Patients	(n = 101)
<i>Gender, male (%)</i>	80
<i>Age (SD), yr</i>	58 (13)
<i>Nationality, Saudi (%)</i>	87
<i>Mortality (%)</i>	3
<i>Patients, HEL (%)</i>	42
<i>Caregivers, HEL (%)</i>	74
<i>Ejection fraction (SD)</i>	23 (9.4)
<i>Mortality score (SD)</i>	37 (6.9)
<i>Readmission score (SD)</i>	25 (4.3)
<i>CRTD (%)</i>	18
<i>Atrial fibrillation (%)</i>	7
<i>Education booklet given (%)</i>	48
Medications (%)	
Furosemide	87
β -Blockers	89
ACEI/ARB	68
Hydralazine	18.8
Nitrates	32
Spironolactone	59
Digoxin	6
<i>Readmission (%)</i>	19
1 readmission	10
2 readmissions	3
3 readmissions	6
<i>Length of stay (SD), d</i>	8 (5.8)

ACEI = angiotensin converting enzyme inhibitor; ARB = angiotensin receptor blocker; CRTD = cardiac resynchronisation therapy defibrillator; HEL = high education level; SD = standard deviation.