

Table 5. Comparison of mean \pm SD scores between different facility types

Independent variables	Facility type on the basis of ownership			P-value
	Public (n=9)	Private (n=27)	NGO (n=17)	
Staff Safety Score Mean \pm SD	7.22 \pm 2.05	6.30 \pm 1.52	7.35 \pm 1.90	0.134
Patient Safety Score Mean \pm SD	11.22 \pm 2.77	13.78 \pm 2.45	15.00 \pm 1.58	0.001
Waste Disposal Practices Score Mean \pm SD	3.00 \pm 1.80	3.19 \pm 1.52	4.06 \pm 1.25	0.116
Other Infection control related activities Mean \pm SD	3.44 \pm 1.60	3.67 \pm 1.51	3.82 \pm 1.82	0.806
Total Score Mean \pm SD	24.89 \pm 4.78	26.96 \pm 5.26	30.24 \pm 4.22	0.022

Independent variables	Facility type on the basis of activities			P-value
	Hospital based (n=23)	Transfusion Centre (n=11)	Stand alone (n=19)	
Staff Safety Score Mean \pm SD	7.17 \pm 1.59	7.45 \pm 1.97	6.00 \pm 1.67	0.03
Patient Safety Score Mean \pm SD	13.65 \pm 2.89	14.82 \pm 1.60	13.21 \pm 2.51	0.251
Waste Disposal Practices Score Mean \pm SD	3.52 \pm 1.70	4.00 \pm 1.67	3.00 \pm 1.11	0.212
Other Infection control related activities Mean \pm SD	4.00 \pm 1.58	3.82 \pm 1.33	3.21 \pm 1.23	0.173
Total Score Mean \pm SD	28.35 \pm 5.02	30.09 \pm 5.30	25.42 \pm 4.56	0.037