

Table 3 Nordic test results among caregiving parents of children in paediatric palliative, Izmir, 2020–2021

Region	Those with pain complaint	Age at onset of illness	Need to change job	Complaint in last 12 months	Complaint in last 1 month	Complaint today	Business disruption in last 12 months	Visited a doctor in last 12 months	Used medication in last 12 months
	No. (%)	Years (IQR)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)
Neck	29 (42.0)	29.0 (15.8)	7 (10.1)	23 (33.3)	23 (33.3)	19 (27.5)	9 (13.0)	9 (13.0)	15 (21.7)
Shoulder	17 (24.6)	37.5 (14.5)	2 (2.9)	11 (15.9)	7 (10.1)	6 (8.7)	3 (4.3)	1 (1.4)	6 (8.7)
Back	42 (60.9)	32.0 (13.0)	6 (8.7)	18 (26.1)	10 (29.0)	11 (15.9)	8 (11.6)	6 (8.7)	13 (18.8)
Elbow	7 (10.1)	40.0 (-)	2 (2.9)	5 (7.2)	4 (5.8)	3 (4.3)	4 (5.8)	1 (1.4)	3 (4.3)
Wrist	12 (17.4)	31.0 (16.0)	1 (1.4)	9 (13.0)	9 (13.0)	5 (7.2)	4 (5.8)	4 (5.8)	5 (7.2)
Waist	43 (62.3)	30.0 (12.0)	11 (15.9)	23 (33.3)	22 (31.9)	13 (18.8)	11 (15.9)	5 (7.2)	16 (23.2)
Hip	10 (14.5)	31.0 (28.5)	3 (4.3)	8 (11.6)	6 (8.7)	4 (5.8)	4 (5.8)	1 (1.4)	5 (7.2)
Knee	21 (30.4)	37.5 (5.0)	1 (1.4)	11 (15.9)	10 (14.5)	7 (10.1)	4 (5.8)	3 (4.3)	5 (7.2)
Ankle	18 (26.1)	34.0 (10.0)	1 (1.4)	7 (10.1)	7 (10.1)	7 (10.1)	3 (4.3)	1 (1.4)	3 (4.3)

IQR = interquartile range.