

**Table 1 Frequency of cardiac lesions in 2604 patients with congenital heart disease in 4 regions of Saudi Arabia [3–6]**

Lesion	Al Hassa		South east		North central		West		Overall	
	No.	%	No.	%	No.	%	No.	%	No.	%
VSD	292	39.5	109	32.5	123	38.4	359	29.7	883	33.9
ASD	85	11.5	35	10.4	37	11.6	314	26.0	471	18.1
PS	66	8.9	34	10.1	29	9.1	195	16.1	324	12.4
PDA	64	8.6	53	15.8	25	7.8	159	13.2	301	11.6
AVSD	26	3.5	12	3.6	16	5.0	38	3.1	92	3.5
TOF	31	4.2	18	5.4	15	4.7	26	2.2	90	3.5
AS	26	3.5	9	2.7	9	2.8	20	1.6	64	2.5
COA	20	2.7	11	3.3	6	1.9	23	1.9	60	2.3
D-TGA	14	1.9	5	1.5	14	4.4	22	1.8	55	2.1
Other	116	15.7	49	14.6	46	14.4	53	4.4	264	10.1
Total	740	100.0	335	100.0	320	100.0	1209	100.0	2604	100.0

*VSD = ventricular septal defect; ASD = atrial septal defect; PS = pulmonary stenosis; PDA = patent ductus arteriosus; AVSD = atrioventricular septal defect; TOF = tetralogy of Fallot; AS = aortic stenosis; COA = coarctation of aorta; D-TGA = dextro-transposition of great arteries.*