



Iraq: EWARN & Disease Surveillance Bulletin

2017 Epidemiological Week: 26

Reporting Period: 26 June – 02 July, 2017

HIGHLIGHTS

- ◆ **Number of reporting sites:** (161) reporting sites submitted timely and completely weekly reports through EWARN: (89) in Internally Displaced People’s (IDP) camps, (6) in refugee camps, (58) in mobile clinics and (8) in hospitals.
- ◆ **Total number of consultations:** 75,947 (Male=37,214 and Female=38,733) consultations were reported during this week marking a decrease of 1% when compared to last week, (Week 25=76,475).
- ◆ **The cumulative consultations from Week 01-26** is 2,656,246. (Figure I)




Figure I: Total Consultations and Number of Reporting Sites in Iraq by week in 2017 (Week 01 -26)

- ◆ **Leading causes of morbidity:** Acute Respiratory Tract Infections (n=16,069), Acute Diarrhea (n=4,955) and skin diseases including Scabies (n=1,217) remained the leading causes of morbidity in all camps and displaced population areas. (Figure II)
- ◆ **Number of Alerts: 3 Alerts** (1 suspected measles case, 1 acute flaccid paralysis case and 1 suspected cholera case) were received through EWARN.




Figure II: Distribution of EWARN cumulative consultations by the common reported disease events in Iraq, Week 26, 2017

Ninewa Governorate

- ◆ 80 reporting sites submitted timely and completely weekly reports through EWARN: (34) in medical mobile clinics, (44) in static health facilities and (2) in hospitals.
- ◆ Total number of consultations in Ninewa Governorate in Week 26 was 42,251, marking an increase of 8% when compared to last week, (Week 25=38,868). (Figure III)
- ◆ 1 alert (1 suspected cholera case) was received through EWARN.




Figure III: Distribution of total consultations in Ninewa Governorate by week, Week 01 -26, 2017

Common reported events:

The most common reported disease events/syndromes during Week 26 in **Ninewa Governorate** were Acute Respiratory Infections (67%), Acute Diarrhea (26%), and skin infestations including Scabies (3%). (Table I)

Table I: Distribution of the common reported disease events in Ninewa Governorate in Week 26, 2017

District	Acute Respiratory Infection	Acute Diarrhoea	Suspected Leishmaniasis	Suspected Scabies	Other Disease
Al-Hamdaniya	1645	628	0	84	2
AL-SHIKHAN	423	117	0	16	0
AYMEN	3251	1799	1	241	0
AYSER	534	29	0	6	0
BARDARASH	25	11	0	1	0
GAYARA	850	277	0	36	0
HATRA	129	158	0	1	0
Makhmur	676	148	0	50	444
Sinjar	23	6	0	0	0
Telafar	676	155	0	1	0
Tilkaif	1002	252	0	12	5

Morbidity Patterns

IDP camps

The proportions of Acute Respiratory Tract Infections (ARI), Acute Diarrhea (AD) and skin infestations including Scabies decreased since last week, (Figure IV).




Figure IV: Trends of Proportion of Cases in IDP camps for ARI, AD and Scabies from Week 01 -26, 2017

Refugee camps

The proportions of Acute Respiratory Tract Infections (ARI) decreased from 40% in Week 25 to 32% in Week 26; whereas, Acute Diarrhea (AD) and skin infestations including Scabies increased since last week. (AD: Week 25=7; Week 26= 9%; and skin infestations including scabies: Week 25= 1% and Week 26=2%). (Figure V)




Figure V: Trends of Proportion of Cases in Refugee camps for ARI, AD and Scabies from Week 01 -26, 2017

Distribution of the common diseases by proportion and location for IDP camps in Iraq

Figures VI and VII indicates the proportions and distribution of Acute Respiratory Tract Infections (ARI), Acute Diarrhea (AD) and skin infestations including Scabies, which comprises the highest leading causes of morbidity, reported through Static Health Facilities and Medical Mobile Clinics (MMCs) in IDP camps in Iraq, excluding Ninewa in Week 26.




Figure VI: Proportion and distribution of ARI, AD and Scabies cases reported through Static Health Facilities in IDP camps in Iraq, excluding Ninewa




Figure VII: Proportion and distribution of ARI, AD and Scabies cases reported through MMCs in IDP camps in Iraq, excluding Ninewa

Distribution of the common diseases by proportion and location for IDP camps in Ninewa Governorate

Figure VIII and IX indicate the proportions and distribution of Acute Respiratory Tract Infections (ARI), Acute Diarrhea (AD) and skin infestations including Scabies, which comprises the highest leading causes of morbidity, reported through Static Health Facilities and Medical Mobile Clinics (MMCs) in IDP camps in Ninewa Governorate in Week 26.




Figure VIII: Proportion and distribution of ARI, AD and Scabies cases reported through Static Health Facilities in IDP camps in Ninewa Governorate




Figure IX: Proportion and distribution of ARI, AD and Scabies cases reported through MMCs in IDP camps in Ninewa Governorate

Distribution of the common diseases by proportion and location for Refugee camps

Figure X indicates the proportions and distribution of Acute Respiratory Tract Infections (ARI), Acute Diarrhea (AD) and skin infestations including Scabies, which comprises the highest leading causes of morbidity, reported in Refugee camps in Iraq, in Week 26.




Figure X: Proportion and distribution of ARI, AD and Scabies cases reported in Refugee camps in Iraq

Trends of Acute Diarrhea

Figure XI indicates the trends of Acute Diarrhea reported from Week 01 to Week 26 through the EWARN system. The proportion of Acute Diarrhea (AD) cases decreased in compare to last two weeks.




Figure XI: Proportion of Acute Diarrhea reported by week, Week 01-26, 2017

Trends of Acute Bloody Diarrhea (ABD) and Acute Jaundice Syndrome (AJS) in IDP camps

Figure XII indicates the number of cases of Acute Bloody Diarrhea (ABD) and Acute Jaundice Syndrome (AJS) reported in IDP camps by week, Week 01-26.




Figure XII: Proportion of waterborne diseases (ABD and AJS) reported in IDP camps by week, Week 01-26, 2017

Trends of waterborne diseases in Refugee camps

Figure XIII indicates the proportion of waterborne diseases (Acute Diarrhea (AD), Acute Bloody Diarrhea (ABD) and Acute Jaundice Syndrome (AJS)) revealing an increase in waterborne diseases reported in refugee camps.




Figure XIII: Proportion of waterborne diseases reported in Refugee camps by week, Week 01-26, 2017

Alerts and Outbreaks

Three (3) alerts were generated during epidemiological week 26 in Ninewa, Anbar and Sulaymaniyah governorates. All alerts were investigated by Departments of Health, WHO and health partners in the field and responded to within 72 hours; 1 suspected measles case turned out True; and 1 acute flaccid paralysis case and 1 suspected cholera case turned out False.




Figure XIV: Number of alerts received through EWARN per week, Week 01-26, 2017

For comments or questions, please contact:

- **Dr. Adnan Nawar Khistawi** | 07901948067 | adnannawar@gmail.com, Head of Surveillance Section, Federal MOH
- **Dr. Renas Omar** | 07504482798 | renas.sadiq@yahoo.com, Head of Preventive Department, MOH-KRG
- **Dr. Muntasir Elhassan** | 07517406904 | elhassanm@who.int, EWARN Coordinator, WHO Iraq
- **WHO EWARN Unit** emacoirqewarn@who.int

EWARN Dashboard link: <http://irq-data.emro.who.int/ewarn/>

EWARN Dashboard link: <http://irq-data.emro.who.int/ewarn/>

EWARN reporting health facilities: http://irq-data.emro.who.int/ewarn/reporting_sites

EWARN bulletins: <http://emro.who.int/irq/ewarns/index.html>