

DROUGHT RESPONSE


1 January - 31 August 2022















DROUGHT RESPONSE

1 January - 31 August 2022











1 January - 31 August 2022








1. Epidimic Disease Situation

Cholera cases reported






Reported by epidemiological week

590Jan-August 2022

1,073

1,247

Jan- Dec 2021 Jan- Dec 2020





138

Jan-August 2022



*Source: MOH & EWARN

Reported by epidemiological week




1 January - 31 August 2022










Acute diarrhoeal disease cases



SOMALIA


1 January - 31 August 2022







Suspected measles cases reported




Measles cases laboratory tested

Reported by epidemiological week

702

Jan-August 2022 Jan- Dec 2021

310 Jan- Dec 2020



Measles cases laboratory confirmed

973


245

Reported by epidemiological week

Jan-August 2022

Jan- Dec 2021

Jan- Dec 2020





SOMALIA


1 January - 31 August 2022









Suspected malaria cases tested (RDT & microscopy)*









SOMALIA

1 January - 31 Augst 2022








2. Admission and treatment outcome of severely acute malnourished children with medical complications*

(Reported from 53 stabilization centres across the country supported by WHO)

| MONTH | NEW ADMISSION | CURED | DEATH |
|---------------|---------------|--------------|---------|
| JULY | 2,730 | 2,197 | 68 |
| JUNE | 2,602 | 2,104 | 70 |
| MAY | 1,900 | 1,548 | 29 |
| APRIL | 1,546 | 1,268 | 27 |
| MARCH | 2,367 | 2,135 | 45 |
| FEBRUARY | 1,271 | 1,048 | 30 |
| JANUARY | 1,507 | 1,250 | 30 |
| TOTAL | 13,923 | 11,550(83%) | 299(2%) |
| YEAR | NEW ADMISSION | CURED | DEATH |
| JAN-JULY 2022 | 13,923 | 11,550 (83%) | 299(2%) |
| JAN- DEC 2021 | 14,340 | 12,198(85%) | 328(2%) |
| JAN- DEC 2020 | 12,096 | 10,441(85%) | 292(2%) |



07

Date of publication : 31 July 2022

1 January - 31 August 2022







3. Outreach services supported by WHO in the drought-affected districts

Children received childhood vaccine (Penta_1*, Penta_3, IPV_1, IPV_2, MCV_1, MCV_2)

223,665TOTAL NUMBER

| AUGUST | 46,440 |
|--------|--------|
| JULY | 33,253 |
| JUNE | 51,539 |
| MAY | 36,217 |
| APRIL | 38,750 |
| MARCH | 17,466 |
| | |



Pregnant women received TD3

19,119TOTAL NUMBER


| AUGUST | 3,645 |
|--------|-------|
| JULY | 3,007 |
| JUNE | 4,006 |
| MAY | 4,221 |
| APRIL | 2,893 |
| MARCH | 1,347 |



Distribution of vitamin A supplementaion

85,879 TOTAL NUMBER

| | 6-11 MONTHS | 12-59 MONTHS |
|--------|-------------|--------------|
| AUGUST | 6,620 | 8,585 |
| JULY | 4,686 | 5,683 |
| JUNE | 6,186 | 8,843 |
| MAY | 5,984 | 7,557 |
| APRIL | 6,846 | 7,852 |
| MARCH | 2,591 | 3,891 |
| | 40,092 | 45,787 |



^{*} ZERO-DOSE CHILDREN



1 January - 31 August 2022







Children treated with ORS and Zinc for diarrhoeal disease

20,241TOTAL NUMBER

| 2,580 |
|-------|
| 3,493 |
| 5,172 |
| 4,734 |
| 3,706 |
| 556 |
| |



Outreach Patient Consultation

139,733TOTAL NUMBER


| | > 5 YEARS | < 5 YEARS |
|--------|-----------|-----------|
| AUGUST | 13,564 | 12,570 |
| JULY | 9,056 | 9,172 |
| JUNE | 19,834 | 19,686 |
| MAY | 17,178 | 17,592 |
| APRIL | 8,963 | 9,679 |
| MARCH | 1,016 | 1,423 |
| | 69,611 | 70,122 |



Children Received Penta_1 & Penta_3 vaccine

84,508 TOTAL NUMBER

| | PENTA_1* | PENTA_3 |
|--------|----------|---------|
| AUGUST | 9,448 | 8,120 |
| JULY | 7,422 | 5,848 |
| JUNE | 10,873 | 9,733 |
| MAY | 7,935 | 5,883 |
| APRIL | 7,717 | 5,526 |
| MARCH | 3,520 | 2,483 |
| | 46,915 | 37,593 |



^{*} ZERO-DOSE CHILDREN

DROUGHT RESPONSE

1 January - 31 August 2022







4. Interventions by Community Health Workers (CHWs) deployed by WHO in the drought-affected districts

Number of people reached with health promotion messages


including repeat visits to households

9,163,035

TOTAL NUMBER

JULY

| AUGUST | 1,781,170 |
|--------|-----------|
| JULY | 1,175,658 |
| JUNE | 685,079 |
| MAY | 1,946,529 |
| APRIL | 1,927,748 |
| MARCH | 1,646,851 |




Household visits by the CHWs

including repeat visits

1,551,724

TOTAL NUMBER


| AUGUST | 175,014 |
|--------|---------|
| JULY | 126,937 |
| JUNE | 70,155 |
| MAY | 331,392 |
| APRIL | 459,317 |
| MARCH | 388,909 |



Cummunity deaths reported by CHWs

5,035
TOTAL NUMBER

| AUGUST | 1,083 |
|--------|-------|
| JULY | 2,831 |
| JUNE | 722 |
| MAY | 683 |
| APRIL | 560 |
| MARCH | 293 |



DROUGHT RESPONSE

1 January - 31 August 2022







Number of children screened for malnutrition 185,727

Number of children identified as having no acute malnutrition (green) on MUAC measurement

119,622 TOTAL NUMBER

| AUGUST | 24,193 |
|--------|--------|
| JULY | 13,316 |
| JUNE | 16,916 |
| MAY | 35,194 |
| APRIL | 24,091 |
| MARCH | 5,912 |




Number of children identified as moderate acute malnourished (yellow) on MUAC measurement

45,095

TOTAL NUMBER

| 9,778 |
|--------|
| 5,704 |
| 5,861 |
| 11,667 |
| 9,289 |
| 2,796 |
| |



Number of children identified as severe acute malnourished (red) on MUAC measurement

21,010TOTAL NUMBER

| AUGUST | 3,874 |
|--------|-------|
| JULY | 2,938 |
| JUNE | 3,291 |
| MAY | 4,901 |
| APRIL | 4,660 |
| MARCH | 1,346 |
| | |



*CHW data is a daily update, offline data might be uploaded which relects the previous month da



1 January - 31 August 2022








Children received deworming tablets

133,021 TOTAL NUMBER

| AUGUST | 6,608 |
|--------|--------|
| JULY | 72,908 |
| JUNE | 40,229 |
| MAY | 9,084 |
| APRIL | 2,407 |
| MARCH | 1,785 |




Lactating mothers educated on IYCF*

232,309

TOTAL NUMBER

| AUGUST | 62,913 |
|--------|--------|
| JULY | 46,180 |
| JUNE | 28,615 |
| MAY | 72,554 |
| APRIL | 13,982 |
| MARCH | 8,065 |





*IYCF= Infant and Child Feeding

Pregnant women received iron/folic acid tablets

37,845

TOTAL NUMBER







1 January - 31 August 2022








Children treated with ORS and Zinc for diarrhoeal disease


23,270TOTAL NUMBER

| | FEMALE | MALE |
|--------|--------|--------|
| AUGUST | 1,656 | 1,418 |
| JULY | 1,349 | 1,232 |
| JUNE | 1,138 | 1,383 |
| MAY | 2,960 | 3,138 |
| APRIL | 3,087 | 3,132 |
| MARCH | 1,402 | 1,375 |
| | 11,592 | 11,678 |



Children whose oxygen (O2) saturation level was mesured using pulse oximetry





Number of children with respiratory infections referred to PHCs

11,346TOTAL NUMBER

