WEEKLY AWD/CHOLERA SITUATION REPORT - SOMALIA


Epidemiological Week 26(22-28 June 2020)

World Health Organization Somalia


Highlights

- During week 26 a total of 195 new cases of cholera and two (2) deaths were reported from 14 districts of Banadir, Merka districts, of lower Shabelle Beletweyne district of Hiran region and Baidoa district of Bay region. No case was reported from other areas
- Since epidemiological week1 2020, a total of 4 834 cumulative cases, including 26 deaths (CFR 0.5%), were reported from two states of Somalia (Hirshabelle and South West state) and Banadir region
- With a cumulative attack rate of 134 cases per 100 000 populations. Daynile (Banadir region) and Jalalaqsi districts are the most affected districts with an attack rate of 634 and 297 cases per 100,000 populations
- Though the overall case-fatality rate (CFR) was 0.5%, higher rates was observed in Wardegly district, of Banadir region exceeding the WHO's threshold of <1% case fatality rate
- Of the 462 stool samples tested for culture since Epidemiological week1 2020, 162 samples were tested positive for Vibrio cholerae serotype Inapa.
- Culture and sensitivity tests performed at the central public health laboratory in Mogadishu, show that the isolated Vibrio cholerae, O1, serotype Inapa is sensitive to chloramphenicol and tetracycline but resistant to ampicillin and nalidixic acid


Cholera case, deaths, and Case fatality rates By state of Somalia, January to 28 June 2020



Trends of cholera cases in Somalia from January to 28 June 2020



Distribution of cholera cases from January to 28 June, 2020



Summary of statistics

195 new cases of cholera and 2 deaths were reported during week 26, of which 147 (76.3%) were children under 5 years of age

4 834 cumulative cases including 26 deaths were reported since epidemiological week 1 to 26. Since the beginning of the year of which 3 431 (70.9%) were children under 5 years of age and 2 333 (48.2%) cases were females

Suspected cholera cases, attack rate, deaths and case-fatality rate by district (January to 28 June, 2020)

State/ region	District	Cas- es	Popula- tion	Deaths	CF R (%)	Attack Rate (per 100,000 population)
Banadir	Abdul Aziz	13	47 332	0	0.0	27
	Bondere	30	109 840	0	0.0	27
	Dharkenly	465	163 855	1	0.2	284
	Danyile	596	93 977	5	0.8	634
	Hamar Jabjab	137	95 296	0	0.0	144
	Hamar Weyn	25	100 088	0	0.0	25
	Hawl Wadag	109	118 585	0	0.0	92
	Heliwa	22	131 341	0	0.0	17
	Hodan	488	251 045	1	0.2	194
	Kahda	169	112 130	1	0.6	151
	Karan	61	253 106	0	0.0	24
	Madina	546	173 573	5	0.9	315
	Shangani	5	43 775	0	0.0	11
	Shibis	10	172 842	0	0.0	6
	Waberi	87	100 540	0	0.0	87
	Wardegly	88	128 159	2	2.3	69
	Yaqshid	58	314 160	0	0.0	18
Hirshabelle state	Belet Weyne	541	222 251	5	0.9	243
	Bulo Burti	160	95 403	0	0.0	168
	Jalalaqsi	219	73 861	1	0.5	297
	Jowhar	560	291 189	2	0.4	192
South west state	Merka	82	511 031	0	0.0	16
	Baidoa	363	360 041	3	0.8	101
Total		4 834	3 603 379	26	0.5	134