







World Health
Organization



Republic of Sudan




**Weekly AFP surveillance report
week 31
Ending on 5 August 2012**




AFP Surveillance central unit

Map 1. Distribution of AFP cases by classification, Sudan, 2011*




Map 2. Distribution of AFP cases by classification, Sudan, 2012*



- Non-polio AFP
- Pending classification
- VDPV


***Up to week 31**

**Fig. 1: Total AFP cases
Sudan, 2008-2012***




***Up to week 31**

Fig. 2: Total AFP cases by classification, Sudan, 2012*



***Up to week 31**

Fig. 3: AFP cases by age group, 2009 – 2012*



*Up to week 31

Fig. 4: AFP cases by sex 2009 – 2012*




Fig. 5: Percent distribution of AFP cases by time of detection, 2011*

N = 199 AFP cases





Fig. 6: Percent distribution of AFP cases by time of detection, 2012*

N = 247 AFP cases



***Up to week 31**

Fig. 7: Percent distribution of AFP cases according to the timeliness of detection by states, 2012*





Table 1. Major AFP surveillance performance indicators, up to week 31, 2012


State	U 15 yrs population	Total reported AFP cases	Non-polio AFP cases	Pending classification	VDPV	Compatible cases	% Adequate stools	Annualized AFP rate	% NPEV
B. Nile	551,519	16	16	0	0	0	94%	4.9	13%
Gedarif	887,810	12	11	1	0	0	92%	2.3	9%
Gezira	1,974,675	29	29	0	0	0	97%	2.5	24%
Kasala	857,183	12	11	1	0	0	100%	2.3	17%
Khartoum	2,489,151	46	44	2	0	0	98%	3.1	11%
N.Darf	890,317	18	17	1	0	0	100%	3.4	11%
N.Kord	1,281,448	16	16	0	0	0	94%	2.1	13%
Northern	271,479	4	4	0	0	0	75%	2.5	25%
Red Sea	331,008	9	9	0	0	0	100%	4.6	11%
River Nile	470,091	9	9	0	0	0	100%	3.2	11%
Sennar	735,588	11	10	1	0	0	91%	2.5	18%
S.Darfur	1,806,686	20	15	4	1	0	90%	1.9	5%
S. Kord	974,048	10	10	0	0	0	100%	1.7	0%
W.Darfur	971,638	19	17	2	0	0	95%	3.3	21%
W. Nile	855,181	16	15	1	0	0	100%	3.1	13%
Total	15,347,822	247	233	13	1	0	96%	2.7	14%

Fig. 8: Sources of AFP cases up to week 31




IDPs **Nomads** **Residents**

Fig. 9: Types of reporting sites up to week 31



Government **Private** **Volunteers** **Others**


Fig. 10: Percent distribution of AFP cases 6-59 months by number of OPV doses, 2007-2012*



■ 0 OPV doses
 ■ 1-3 OPV doses
 ■ 4-6 OPV doses
 ■ 7+ OPV doses


*Up to week 31

Fig. 11: No. & percent distribution of AFP cases 6-36 months by number of OPV doses, 2007-2012*




*Up to week 31

Fig. 12: Percent distribution of AFP cases 6-59 months by number of OPV doses and states, 2011-2012*




*Up to week 31

Fig. 13: Non-Polio AFP rate per 100,000 children under 15 years of age, 2007 – 2012*




***Up to week 31**

Fig. 14: Adequate stool collection rate, 2007 – 2012*




***Up to week 31**

Fig 15. Distribution of polio and non-polio AFP Cases by classification, month of onset & SIA response to the poliovirus importation, 2010-2012*



*Up to week 31

Fig 16. Distribution of polio and non-polio AFP Cases by classification, month of onset & SIA response to the poliovirus importation, 2010-2012*




*Up to week 31

Map 3. Non-polio AFP rate by state, 2011 up to W31



Map 4. Annualized Non-polio AFP rate by state, 2012 up to W31



Map 5. Percent distribution of AFP cases having adequate stool samples by states, 2011 up to W31



Map 6. Percent distribution of AFP cases having adequate stool samples by state, 2012 up to W31



■ <60%
 ■ 60% - 79%
■ 80% - 100%


Table 2. National polio lab performance indicators 2010-2012 up to week 31

Indicator	2010	2011	2012
AFP cases with samples tested in NPL	242	199	246
Cases with aVDPV2	0	0	1
Cases with non-polio enterovirus	15%	17%	14%
SL viruses No. & (%) from AFP cases	5(2.1%)	6(3.1%)	3(1.3%)
Median days from the time of samples received in the lab to primary culture report or L20B result	11days	12 days	12days
Number of samples from the AFP contacts tested in the NPL	125	132	183
Contacts with non-polio enterovirus	14%	11%	12%
Sabin like viruses No. & (%) from contacts	0	5(4%)	1(0.8%)
Wild polioviruses from contacts	0	0	0

Table 3. Polio lab performance 2010 - 2012

Week of onset	Total AFP Cases with samples	AFP Cases under process	L20B +ve pending ITD	Negative cases	NPEV positive	% NPEV	Result reported within 14 days	Arrival within 3 days of being collected from the 2 nd sample	Arrival within 3 days of being sent from the 2 nd sample
2010 up to week 31	242	9	0	199	34	15%	90%	86%	99%
2011 up to week 31	199	7	0	160	32	17%	85%	83%	100%
2012 up to week 31	246	12	0	201	33	14%	93%	85%	99%

Fig. 17: AFP Specimens' median timeliness NPL 2010-2012*



*Up to week 31