



Highlights

- A total of 209,059 consultations were recorded in all the 14 governorates
- The leading causes of morbidity among all age groups were Influenza Like Illness 14,497 (53.18%) and Acute Diarrhea 7,615 (27.93%).
- **AJS cases in Drekish district in Tartous declined in week 15 by 35.7% compared with previous week.**
- **An increase of AD in Dar'a detected in two neighborhoods Al-Sabel and Al-Qousor with 239 acute diarrhea cases.**
- MoH reported 30 confirmed cases of COVID-19, the cumulative number of COVID-19 confirmed cases is 55,769
- 6 AFP cases reported in As-Sweida (3) Homs (1) Aleppo (1) Al-Hasakeh (1).
- 13 suspected measles cases in Daraa (3) Hama (2) Lattakia (2) Deir-ez-Zor (2) Aleppo (1) Idleb (1) Al-Hasakeh (1) Damascus (1)

Performance Indicators

- A total of 1,252 out of 1,439 active reporting sites (87%) in all 14 governorates of Syria reported through EWARS, with 91.05% timeliness among those sites providing data during the week (Figure 1)



Morbidity

Figure 3: Proportional morbidity by age group






Figure 4: Proportion of Morbidity of top 4 diseases among the total consultation by week



1. Waterborne Diseases

- There was 0 case of acute watery diarrhea (AWD)
- A total of 7,615 AD cases were reported during this week


Figure 5: Number of acute diarrhea by week



2. Vaccine Preventable Diseases

- 6 cases of acute flaccid paralysis (AFP) were reported in this week
- Number of suspected measles in thre reporting week was (13) cases. Most cases were reported from Daraa (3) Hama (2) Lattakia (2) Deir-ez-Zor (2) Aleppo (1) Idleb (1) Al-Hasakeh (1) Damascus (1).


Figure 6: Suspected measles cases by week



3. Respiratory Diseases

- In total, 14,497 ILI cases were reported during week.
- In total, 485 SARI cases were reported, and the trend is shown in (Figure 7). Most of the cases were reported from Damascus (147) Al-Hasakeh (85) Aleppo (82) Tartous (56) Lattakia (26) Homs (22) Hama (20) Ar-Raqqa (18) Deir-ez- (10) Quneitra (9) Rural Damascus (7) As-Sweida (2) Daraa (1)


Figure 7: SARI cases by week



4. Other Diseases

- 3,755 cases were reported as "other diseases" through EWARS. The health conditions with the highest incidents were Leishmaniasis (1,395) Lice (858) and Others (416)
- During this week, most of suspected leishmaniasis cases were reported from Aleppo (868) Hama (143) Idleb (132)

Figure 8: Suspected Leishmaniasis cases by week



COVID-19

- As of 16 April 2021, a total of 55,769 confirmed cases – in 14 governorates, **Damascus (10,692) (19.17%)**, **Lattakia (9,760) (17.5%)**, **Aleppo (8,524) (15.28%)**, **Homs (6,068) (10.88%)**, **Rural Damascus (5,025) (9.01%)**, **Tartous (3,895) (6.98%)**, **Dar'a (3,270) (5.86%)**, **As-Sweida (2,960) (5.31%)**, **Hama (2,778) (4.98%)**, **Quneitra (996) (1.79%)**, **Al-Hasakeh (939) (1.68%)**, **Deir-ez-Zor (830) (1.49%)**, **Ar-Raqqa (25) (0.04%)**, and **Idleb (7) (0.01%)**,
- Number of deaths related to COVID-19 is 3,149 in 11 governorates, CFR 5.6%
- A total of 14,982 suspected COVID-19 cases were reported by EWARS system, in this week. Most of cases were reported from Idleb (2,653), Deir-ez-Zor (2,394) and Aleppo (2,274)
- 634 cases are Sum of Active (1.14%), 51,986 cases are Sum of Recovery (93.22%).

Figure 9: Confirmed COVID-19 cases by outcome





Figure 10: Suspected and confirmed COVID-19 cases by week




Cases in Drikesh

- There was a decline in the suspected hepatitis A in Drikesh district, Tartous in week 15 by 35.7% compared with previous week.

Total number of AJS cases in Tarous in week 15 was (74) of which 60.8% of cases (45) cases were in Drikesh district, and 10.8 % (8) cases in each of Tartous and Safita. Between weeks 2 and 15 a total of (1,222) cases of acute jaundice syndrome were reported through EWARS weekly reports in Drikesh, compared with (26) cases reported in the same period in 2021. The increase of cases was linked with contamination of drinking water provided through water tanks, wells, and springs. interventions to improve water quality have been conducted by DoH and water authority in Tartous.

Figure 11: Trend of AJS cases in Tarotus by health district (weeks 1 to 12, 2022)



Comparison with Previous Week by Health

| DiseaseName | 22W12 | 22W13 | 22W14 | 22W15 | Total |
|---|---------------|---------------|---------------|---------------|----------------|
| Acute bloody diarrhea | 96 | 54 | 75 | 74 | 299 |
| Acute Diarrhea | 6,838 | 6,929 | 7,213 | 7,615 | 28,595 |
| Acute Flaccid Paralysis | 5 | | 5 | 6 | 16 |
| Acute Watery diarrhea (suspected cholera) | 0 | 0 | 0 | 0 | 1 |
| Brucellosis | 125 | 174 | 154 | 181 | 634 |
| chicken pox | 202 | 182 | 220 | 249 | 853 |
| Influenza Like Illness | 16,438 | 17,192 | 15,274 | 14,497 | 63,401 |
| Leishmaniasis | 1,400 | 1,757 | 1,483 | 1,395 | 6,035 |
| Lice | 763 | 874 | 914 | 858 | 3,409 |
| Measles and Rubella | 13 | 17 | 15 | 13 | 58 |
| Meningitis | 26 | 45 | 37 | 44 | 152 |
| Mumps | 70 | 62 | 68 | 74 | 274 |
| Others | 226 | 294 | 287 | 416 | 1,223 |
| Pertussis | 126 | 128 | 119 | 145 | 518 |
| SARI | 642 | 533 | 494 | 485 | 2,154 |
| Scabis | 358 | 433 | 471 | 364 | 1,626 |
| Suspected Hepatitis (Jaundice) | 697 | 724 | 653 | 627 | 2,701 |
| Tuberculosis | 36 | 50 | 54 | 52 | 192 |
| Typhoid Fever | 142 | 151 | 140 | 166 | 599 |
| Total | 28,203 | 29,600 | 27,676 | 27,261 | 112,740 |

Case Distribution by Age Group, and by Governorate

Week 2022 Week 15 (10 - 16 April 2022)

| DiseaseGroup | Aleppo | Al-Hasakeh | Ar-Raqqa | As-Sweida | Damascus | Daraa | Deir-ez-Zor | Hama | Homs | Idleb | Lattakia | Quneitra | Rural Damascus | Tartous | Total |
|---|--------------|--------------|------------|------------|--------------|------------|--------------|------------|--------------|--------------|--------------|------------|----------------|--------------|---------------|
| ▼ Priority Diseases | 3,302 | 2,058 | 834 | 212 | 1,220 | 602 | 4,148 | 330 | 944 | 5,014 | 1,896 | 331 | 1,168 | 1,302 | 23,361 |
| Suspected Hepatitis (Jaundice) | 104 | 2 | 165 | 3 | 8 | 17 | 111 | 21 | 48 | 46 | 20 | 4 | 4 | 74 | 627 |
| Less than 5 years | 34 | 0 | 86 | 0 | 2 | 4 | 53 | 6 | 8 | 19 | 5 | 4 | 1 | 2 | 224 |
| 5 years or more | 70 | 2 | 79 | 3 | 6 | 13 | 58 | 15 | 40 | 27 | 15 | 0 | 3 | 72 | 403 |
| SARI | 82 | 85 | 18 | 2 | 147 | 1 | 10 | 20 | 22 | 0 | 26 | 9 | 7 | 56 | 485 |
| Less than 5 years | 25 | 31 | 15 | 0 | 50 | 0 | 5 | 15 | 0 | 0 | 16 | 0 | 0 | 18 | 175 |
| 5 years or more | 57 | 54 | 3 | 2 | 97 | 1 | 5 | 5 | 22 | 0 | 10 | 9 | 7 | 38 | 310 |
| Meningitis | 6 | 2 | 9 | 1 | 4 | 3 | 3 | 0 | 1 | 10 | 0 | 0 | 2 | 3 | 44 |
| Less than 5 years | 3 | 0 | 5 | 0 | 1 | 2 | 2 | 0 | 0 | 4 | 0 | 0 | 1 | 1 | 19 |
| 5 years or more | 3 | 2 | 4 | 1 | 3 | 1 | 1 | 0 | 1 | 6 | 0 | 0 | 1 | 2 | 25 |
| Measles and Rubella | 1 | 1 | 0 | 0 | 1 | 3 | 2 | 2 | 0 | 1 | 2 | 0 | 0 | 0 | 13 |
| Less than 5 years | 0 | 1 | 0 | 0 | 1 | 3 | 2 | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 11 |
| 5 years or more | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| Influenza Like Illness | 2,192 | 1,245 | 355 | 151 | 819 | 328 | 2,384 | 134 | 605 | 2,653 | 1,584 | 242 | 912 | 891 | 14,497 |
| Less than 5 years | 767 | 644 | 164 | 30 | 248 | 110 | 1,298 | 91 | 211 | 1,331 | 730 | 118 | 315 | 303 | 6,360 |
| 5 years or more | 1,425 | 601 | 191 | 121 | 571 | 218 | 1,086 | 43 | 394 | 1,322 | 856 | 124 | 597 | 588 | 8,137 |
| Acute Watery diarrhea (suspected cholera) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Less than 5 years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 years or more | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Acute Flaccid Paralysis | 1 | 1 | 0 | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 6 |
| Less than 5 years | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 5 years or more | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 4 |
| Acute Diarrhea | 916 | 716 | 264 | 52 | 240 | 244 | 1,602 | 152 | 267 | 2,304 | 262 | 76 | 243 | 277 | 7,615 |
| Less than 5 years | 445 | 358 | 156 | 22 | 115 | 91 | 903 | 95 | 124 | 1,140 | 127 | 31 | 95 | 79 | 3,781 |
| 5 years or more | 471 | 358 | 108 | 30 | 125 | 153 | 699 | 57 | 143 | 1,164 | 135 | 45 | 148 | 198 | 3,834 |
| Acute bloody diarrhea | 0 | 6 | 23 | 0 | 1 | 6 | 36 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 74 |
| Less than 5 years | 0 | 5 | 9 | 0 | 1 | 2 | 31 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 49 |
| 5 years or more | 0 | 1 | 14 | 0 | 0 | 4 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 25 |
| Other Diseases | 1,104 | 321 | 98 | 12 | 25 | 160 | 441 | 270 | 139 | 1,068 | 104 | 33 | 95 | 30 | 3,900 |
| Typhoid Fever | 10 | 0 | 28 | 0 | 0 | 3 | 64 | 1 | 6 | 53 | 0 | 0 | 1 | 0 | 166 |
| Less than 5 years | 4 | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 1 | 34 | 0 | 0 | 0 | 0 | 46 |
| 5 years or more | 6 | 0 | 28 | 0 | 0 | 3 | 57 | 1 | 5 | 19 | 0 | 0 | 1 | 0 | 120 |
| Tuberculosis | 19 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 1 | 24 | 0 | 3 | 0 | 52 |
| Less than 5 years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| 5 years or more | 19 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 26 | 0 | 3 | 0 | 51 |
| Scabies | 57 | 29 | 0 | 5 | 4 | 12 | 92 | 4 | 21 | 118 | 13 | 1 | 3 | 5 | 364 |
| Less than 5 years | 6 | 4 | 0 | 2 | 0 | 6 | 17 | 0 | 3 | 37 | 2 | 0 | 0 | 0 | 77 |
| 5 years or more | 51 | 25 | 0 | 3 | 4 | 6 | 75 | 4 | 18 | 81 | 11 | 1 | 3 | 5 | 287 |
| Pertussis | 1 | 0 | 14 | 0 | 1 | 0 | 71 | 0 | 2 | 54 | 2 | 0 | 0 | 0 | 145 |
| Less than 5 years | 1 | 0 | 9 | 0 | 1 | 0 | 29 | 0 | 1 | 29 | 2 | 0 | 0 | 0 | 72 |
| 5 years or more | 0 | 0 | 5 | 0 | 0 | 0 | 42 | 0 | 1 | 25 | 0 | 0 | 0 | 0 | 73 |
| Others | 8 | 200 | 0 | 0 | 1 | 137 | 0 | 2 | 25 | 0 | 0 | 8 | 35 | 0 | 416 |
| Less than 5 years | 2 | 63 | 0 | 0 | 1 | 2 | 0 | 2 | 4 | 0 | 0 | 5 | 2 | 0 | 81 |
| 5 years or more | 6 | 137 | 0 | 0 | 0 | 135 | 0 | 0 | 21 | 0 | 0 | 3 | 33 | 0 | 335 |
| Mumps | 0 | 1 | 4 | 0 | 0 | 0 | 10 | 1 | 3 | 54 | 1 | 0 | 0 | 0 | 74 |
| Less than 5 years | 0 | 0 | 3 | 0 | 0 | 0 | 8 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 13 |
| 5 years or more | 0 | 1 | 1 | 0 | 0 | 0 | 2 | 1 | 3 | 53 | 0 | 0 | 0 | 0 | 61 |
| Lice | 111 | 9 | 0 | 3 | 3 | 3 | 42 | 74 | 14 | 523 | 19 | 19 | 24 | 14 | 858 |
| Less than 5 years | 17 | 5 | 0 | 2 | 1 | 0 | 12 | 11 | 4 | 210 | 0 | 0 | 7 | 1 | 270 |
| 5 years or more | 94 | 4 | 0 | 1 | 2 | 3 | 30 | 63 | 10 | 313 | 19 | 19 | 17 | 13 | 588 |
| Leishmaniasis | 868 | 78 | 34 | 3 | 2 | 0 | 69 | 143 | 20 | 132 | 31 | 0 | 6 | 9 | 1,395 |
| Less than 5 years | 191 | 34 | 13 | 0 | 0 | 0 | 15 | 29 | 6 | 63 | 1 | 0 | 1 | 0 | 353 |
| 5 years or more | 677 | 44 | 21 | 3 | 2 | 0 | 54 | 114 | 14 | 69 | 30 | 0 | 5 | 9 | 1,042 |
| chicken pox | 6 | 2 | 2 | 1 | 4 | 2 | 42 | 7 | 41 | 122 | 11 | 5 | 2 | 2 | 249 |
| Less than 5 years | 3 | 2 | 1 | 0 | 2 | 1 | 9 | 1 | 4 | 48 | 1 | 4 | 1 | 0 | 77 |
| 5 years or more | 3 | 0 | 1 | 1 | 2 | 1 | 33 | 6 | 37 | 74 | 10 | 1 | 1 | 2 | 172 |
| Brucellosis | 24 | 2 | 16 | 0 | 7 | 3 | 51 | 38 | 7 | 11 | 1 | 0 | 21 | 0 | 181 |
| Less than 5 years | 2 | 0 | 1 | 0 | 0 | 1 | 2 | 2 | 0 | 3 | 0 | 0 | 3 | 0 | 14 |
| 5 years or more | 22 | 2 | 15 | 0 | 7 | 2 | 49 | 36 | 7 | 8 | 1 | 0 | 18 | 0 | 167 |
| Total | 4,406 | 2,379 | 932 | 224 | 1,245 | 762 | 4,589 | 600 | 1,083 | 6,082 | 2,000 | 364 | 1,263 | 1,332 | 27,261 |