



Syria Essential Drugs List (EDL) Priority 2014



1. ANAESTHETICS		Quantities
halothane	Inhalation.	10.000
isoflurane	Inhalation.	30.000
sevoflurane bottle (quick fill bottle adapter)	Inhalation.	10.000
nitrous oxide	Inhalation.	
oxygen	Inhalation (medicinal gas).	
ketamine	Injection: 50 mg (as hydrochloride)/ml in 10-ml vial.	53.000
propofol*	Injection: 10 mg/ml, 50ml	500.000
propofol*	Injection: 20 mg/ml, 20 ml	1.000.000
atropine	Injection: 1 mg (sulfate) in 1-ml ampoule.	2.000.000
fentanyl	Injection: 0.05 mg fentanyl/mL vial	90.000
2. ANALGESICS, ANTIPYRETICS, NON-STEROIDAL ANTI-INFLAMMATORY MEDICINES (NSAIDs), MEDICINES USED TO TREAT GOUT AND DISEASE MODIFYING AGENTS IN RHEUMATOID DISORDERS (DMARDs)		
sulfasalazine	Tablet: 500 mg.	50.000
paracetamol	Injection: 10mg/ml, 100ml v vial	3.000.000
	Tablet: 500 mg.	60.000.000
diclofenac sodium	Tablets 75mg	15.000.000
diclofenac sodium	Injection: 75mg Ampoule	40.000
Ketorolac	Injection:	400.000
Tramadol	Tablets 50 mg	500.000
Tramadol	Injection: 50mg in 2ml amp	1.500.000
3. ANTIALLERGICS AND MEDICINES USED IN ANAPHYLAXIS		
chlorphenamine	Injection: 10 mg (hydrogen maleate) in 1-ml ampoule.	60.000
dexamethasone	Tablet : 0.5 mg	2.000.000
	Injection: 4 mg/ml ampoule	5.000.000
epinephrine (adrenaline)	Injection: 1 mg (as hydrochloride or hydrogen tartrate) in 1ml ap	2.700.000
prednisolone	Tablet: 5mg	3.000.000
	Tablet: 20mg	1.500.000
4. ANTIDOTES AND OTHER SUBSTANCES USED IN POISONINGS		
calcium gluconate	Injection: 100mg/ml in 10 ml ampoule	1.750.000
charcoal activated	CAPS/TABS	7.000.000
sodium calcium edetate	Injection: 50mg/ml -2ml ampoule	20.000

dimercaprol	Injection: 50mg/ml -2ml ampoule	3.000
naloxone	Inj 400 microgramme amp 1ml	10.000
5. ANTICONVULSANTS/ANTIEPILEPTICS		
Diazepam	Tabls 2mg	1.000.000
Diazepam	Tabls 5mg	1.500.000
Diazepam	Tabls 10mg	1.000.000
Diazepam	Suppos. 10mg	500.000
Diazepam	Injection: 10mg/amp (intervenous)	500.000
Carbamazepine	Tablet (scored): 200 mg.	27.000.000
phenobarbital	Injection: 200 mg/ml (sodium).	100.000
	Tablet: 15mg	2.000.000
Phenytoin	Tablet (chewable): 50 mg.	3.000.000
	Injection: 250mg/5ml- ampoule.	50.000
valproic acid (sodium valproate)	Oral liquid: 200 mg/5 ml.	50.000
	Tablet (enteric-coated):200 mg	5.000.000
	Tablet (enteric-coated):500 mg	5.000.000
6. ANTI-INFECTIVE MEDICINES		
6.2 Antibacterials		
benzathine benzylpenicillin	Powder for injection: 0,6million IU) in 5ml vials	125.000
benzathine benzylpenicillin	Powder for injection: 1.2 million IU) in 5-ml vial	300.000
phenoxymethylpenicillin	Powder for oral liquid: 250 mg (as potassium salt)/5 ml.	150
phenoxymethylpenicillin	Tablet:250mg	1.000.000
benzylpenicillin G	Powder for injection: 3 g (= 5 million IU) in vials	500.000
benzylpenicillin G	Powder for injection: 600 mg (= 1 million IU); in vial.	500.000
teicoplanin	Injection: 400 mg vial	500.000
teicoplanin	Injection: 200mg vial	250.000
vancomycin	powder for injection: 500 mg or 1000 mg	500.000
clarithromycin	powder for injection: 500 mg	10.000
cefalexin	Syrup:250mg/5ml - bottle 100 ml	50.000
amoxicillin	Oral liquid : 250mg / 5ml- bottle -100 ml	5.000.000
amoxicillin	Tablet:500mg	20.000.000
doxycycline	Tablet:100mg	15.000.000
ceftriaxone	Injection: 500mg-vial	300.000
rifampicin	Syrup 60ml	5,000
rifampicin	Caps 300mg	1.200.000
fucidic acid	Infusion vials	10.000
cefotaxime	Injection 1 g -vial	2.000.000
ciprofloxacin	Tablet: 500mg	3.000.000
ciprofloxacin	Tablets 250mg	2.500.000
ciprofloxacin	Injection: 200mg-vial	150.000
metronidazol	Infusion vials 500mg	150.000

ofloxacin	Tablet: 200mg	200.000
spiramycin + metronidazole	Tablet : 1,5 M+ 500mg	2.500.000
ampicillin	powder for injection: 1g	1.000.000
isoniazide	Tablet: 200mg	1.500.000
gentamycin	Injection: 80mg/ml -Amp	2.500.000
gentamycin	Injection: 20mg/ml-Amp	400.000
colimycin	Injection: 1000.000 IU- vial	300.000
amoxicillin + Calvulanic acid	Syrup:250mg/5ml	300.000
amoxicillin + Calvulanic acid	Tablets 500mg (Amox)+125	15.000.000
amoxicillin + Calvulanic acid -vial	powder for injection: 1gr+200 mg	2.500.000
6.1 Anthelmenthics		
Pyrantel	Suspension 250mg/5ml	30.000
6.3 Anti fungal medicines		
Clotrimazole	Vaginal cream :1%	100.000
	Vaginal tablet: 100, 500 mg	45.000
miconazole	cream	100.000
miconazole 150mg+ metronidazole 500mg	Vaginal tablet: 500 mg	45.000
nystatine	Tablet:100.000 IU	500.000
	Oral liquid:50mg / 5ml	100.000
nystatine+neomycine+polymycin B	Vaginal: \ovule	50.000
amphotericine B	Powde for injection 50mg in vial as sodium deoxycholate	5.000
povidone iodine	Ovule: 250mg	50.000
6.4 Anti-viral		
Amantadine	Capsule : 100mg	6.000
6.4.2 ANTIRETROVIRAL DRUGS		<i>Programme to decide quantities</i>
abacavir	Oral liquid: 100 mg (as sulfate)/5 ml. Tablet: 300 mg (as sulfate).	
didanosine	Buffered powder for oral liquid: 100 mg; 167 mg; 250 mg packets. Capsule (unbuffered enteric-coated): 125 mg; 200 mg; 250 mg;400 mg. Tablet (buffered chewable, dispersible): 25 mg; 50 mg; 100 mg;150 mg; 200 mg.	
emtricitabine (FTC)	Capsule: 200 mg. Oral liquid: 10 mg/ml. * FTC is an acceptable alternative to 3TC, based on knowledge of the pharmacology, the resistance patterns and clinical trials of antiretrovirals.	
lamivudine (3TC)	Oral liquid: 50 mg/5 ml. Tablet: 150 mg.	

stavudine (d4T)	Capsule: 15 mg; 20 mg; 30 mg. Powder for oral liquid: 5 mg/5 ml.	
zidovudine (ZDV or AZT)	Capsule: 100 mg; 250 mg. Oral liquid: 50 mg/5 ml. Solution for IV infusion injection: 10 mg/ml in 20-ml vial. Tablet: 300 mg.	
efavirenz (EFV or EFZ) a	Capsule: 50 mg; 100 mg; 200 mg. Oral liquid: 150 mg/5 ml. Tablet: 600 mg. a >3 years or >10 kg weight	
nevirapine (NVP)	Oral liquid: 50 mg/5 ml. Tablet: 200 mg.	
atazanavir a	Solid oral dosage form: 100 mg; 150 mg; 300 mg (as sulfate). a >25 kg.	
indinavir (IDV)	Solid oral dosage form: 400 mg (as sulfate).	
lopinavir + ritonavir (LPV/r)	Capsule: 133.3 mg + 33.3 mg. Oral liquid: 400 mg + 100 mg/5 ml. Tablet (heat stable): 100 mg + 25 mg; 200 mg + 50 mg.	
ritonavir	Oral liquid: 400 mg/5 ml. Solid oral dosage form: 100 mg. Tablet (heat stable): 25 mg; 100 mg.	
saquinavir (SQV) a	Solid oral dosage form: 200 mg; 500 mg (as mesilate). a >25 kg.	
efavirenz + emtricitabine* + tenofovir	Tablet: 600 mg + 200 mg + 300 mg (disoproxil fumarate equivalent to 245 mg tenofovir disoproxil). * FTC is an acceptable alternative to 3TC, based on knowledge of the pharmacology, the resistance patterns and clinical trials of antiretrovirals	
emtricitabine* + tenofovir	Tablet: 200 mg + 300 mg (disoproxil fumarate equivalent to 245 mg tenofovir disoproxil). * FTC is an acceptable alternative to 3TC, based on knowledge of the pharmacology, the resistance patterns and clinical trials of antiretrovirals.	
lamivudine + nevirapine + stavudine	Tablet: 150 mg + 200 mg + 30 mg. Tablet (dispersible): 30 mg + 50 mg + 6 mg [c]; 60 mg + 100 mg + 12 mg [c].	
lamivudine + nevirapine + zidovudine	Tablet: 30 mg + 50 mg + 60 mg [c]; 150 mg + 200 mg + 300 mg.	

lamivudine + zidovudine	Tablet: 30 mg + 60 mg [c] ; 150 mg + 300 mg.	
6.5.2 Antileishmaniasis medicines		
paromomycin	Solution for intramuscular injection: 750 mg of paromomycin base (as the sulfate).	
amphotericin B	Powder for injection: 50 mg in vial. As sodium deoxycholate or liposomal complex.	
miltefosine	Solid oral dosage form: 10 mg; 50 mg.	
sodium stibogluconate or meglumine antimoniate	Injection: 100 mg/ml, 1 vial = 30 ml or 30%, equivalent to approximately 8.1% antimony (pentavalent) in 5-ml ampoule.	
6.2.4 TB National program Medicines		<i>Programme to decide quantities</i>
isoniazid	Oral liquid: 50 mg/5 ml [c]. Tablet: 100 mg to 300 mg. Tablet (scored): 50 mg.	
isoniazid + pyrazinamide + rifampicin	Tablet: 75 mg + 400 mg + 150 mg. 150 mg + 500 mg + 150 mg (For intermittent use three times weekly).	
isoniazid + rifampicin	Tablet: 75 mg + 150 mg; 150 mg + 300 mg. 60 mg + 60 mg (For intermittent use three times weekly). 150 mg + 150 mg (For intermittent use three times weekly).	
rifabutin	Capsule: 150 mg.* * For use only in patients with HIV receiving protease inhibitors.	
pyrazinamide	Oral liquid: 30 mg/ml [c]. Tablet: 400 mg. Tablet (dispersible): 150 mg. Tablet (scored): 150 mg.	
Rifampicin	Oral liquid: 20 mg/ml [c]. Solid oral dosage form: 150 mg; 300 mg.	
Streptomycin	Injection : 1g vial	
Ethambutol	Tablet: 400 mg	
ethambutol + isoniazid	Tablet: 400 mg + 150 mg.	
ethambutol + isoniazid + pyrazinamide + rifampicin	Tablet: 275 mg + 75 mg + 400 mg + 150 mg.	
ethambutol + isoniazid + rifampicin	Tablet: 275 mg + 75 mg + 150 mg.	
kanamycin	Injection: 1g -vial	
ofloxacin	Tablet: 200 mg; 400 mg. * Levofloxacin may be an alternative based on availability and programme considerations.	
amikacin	Powder for injection: 100 mg; 500 mg; 1 g (as sulfate) in vial.	
capreomycin	Powder for injection: 1 g (as sulfate) in vial.	
cycloserine	Solid oral dosage form: 250 mg.	

p-aminosalicylic acid	Granules: 4 g in sachet. Tablet: 500 mg.	
ethionamide	Tablet: 125 mg; 250 mg.	
6.5.3 Antimalarial medicines		<i>Programme to decide quantities</i>
amodiaquine*	Tablet: 153 mg or 200 mg (as hydrochloride). * To be used in combination with artesunate 50 mg.	
artemether*	Oily injection: 80 mg/ml in 1-ml ampoule. * For use in the management of severe malaria.	
artemether + lumefantrine*	Tablet: 20 mg + 120 mg. Tablet (dispersible): 20 mg + 120 mg [c]. * Not recommended in the first trimester of pregnancy or in children below 5 kg.	
artesunate*	Injection: ampoules, containing 60 mg anhydrous artesunic acid with a separate ampoule of 5% sodium bicarbonate solution. For use in the management of severe malaria. Rectal dosage form: 50 mg [c]; 200 mg capsules (for pre-referral treatment of severe malaria only; patients should be taken to an appropriate health facility for follow-up care) [c]. Tablet: 50 mg. * To be used in combination with either amodiaquine, mefloquine or sulfadoxine + pyrimethamine.	
artesunate + amodiaquine *	Tablet: 25 mg + 67.5 mg; 50 mg + 135 mg; 100 mg + 270 mg. * Other combinations that deliver the target doses required such as 153 mg or 200 mg (as hydrochloride) with 50 mg artesunate can be alternatives.	
chloroquine*	Oral liquid: 50 mg (as phosphate or sulfate)/5 ml. Tablet: 100 mg; 150 mg (as phosphate or sulfate). * For use only for the treatment of P.vivax infection.	
mefloquine*	Tablet: 250 mg (as hydrochloride). * To be used in combination with artesunate 50 mg.	
primaquine*	Tablet: 7.5 mg; 15 mg (as diphosphate). * Only for use to achieve radical cure of P.vivax and P.ovale infections, given for 14 days.	
quinine*	Injection: 300 mg quinine hydrochloride/ml in 2-ml ampoule. Tablet: 300 mg (quinine sulfate) or 300 mg (quinine bisulfate). * For use only in the management of severe malaria, and should be used in combination with doxycycline.	

sulfadoxine + pyrimethamine*	Tablet: 500 mg + 25 mg. * Only in combination with artesunate 50 mg.	
proguanil*	Tablet: 100 mg (as hydrochloride). * For use only in combination with chloroquine	
doxycycline*	Capsule: 100 mg (as hydrochloride or hyclate). Tablet (dispersible): 100 mg (as monohydrate). * For use only in combination with quinine.	

8. ANTINEOPLASTIC, IMMUNOSUPPRESSIVES AND MEDICINES USED IN PALLIATIVE CARE

8.1 Immunosuppressive medicines

Azathioprine	tablets 50 mg.	250,000
	capsules 25 mg	1,000,000
Ciclosporin	capsules 50 mg	1,000,000
	capsules 100mg.	500,000

8.2 Cytotoxic and adjuvant medicines

bleomycin	Powder for injection: 15 mg (as sulfate) in vial.	12,000
calcium folinate	Injection: 5 mg/ml in 10-ml ampoule. Tablet: 15 mg.	12,000 60,000
carboplatin	Injection: 150 mg/15 ml; Injection: 450 mg/45 ml	12,000 6,000
chlorambucil	Tablet: 2 mg.	6,000
cyclophosphamide	Powder for injection: 200 mg in vial. Tablet: 25 mg.	10,000 50,000
cytarabine	Powder for injection: 100 mg in vial. Powder for injection: 1g in vial.	4,000 1,500
dacarbazine	Powder for injection: 100 mg in vial.	5,000
daunorubicin	Powder for injection: 50 mg (hydrochloride) in vial.	4,000
doxorubicin	Powder for injection: 10 mg (hydrochloride) in vial. : 50 mg (hydrochloride) in vial.	1,000 1,500
etoposide	Capsule: 100 mg. Injection: 20 mg/ml in 5-ml ampoule.	12,000 5,000
fluorouracil	Injection: 50 mg/ml in 5-ml ampoule.	6,000
hydroxycarbamide	Solid oral dosage form: 200 mg; . :300 mg	2,500 4,000
Isophosphamide	Powder for injection: 1 g vial Powder for injection: 2 g vial.	12,000 12,000
cisplatin	Injection: 50mg- vial	12,000
mercaptopurine	Tablet: 50 mg.	10,000
mesna	Injection: 100 mg/ml in 4-ml and 10-ml ampoules. Tablet: 400 mg;. : 600 mg	10,000 1,000 1,000
methotrexate	Injection: 50 mg/ml ampoule. Tablet: 2.5 mg (as sodium salt).	40,000 200,000

paclitaxel	Infusion for injection: 300 mg	1,000
	Infusion for injection: 150 mg	1,000
procarbazine	Capsule: 50 mg (as hydrochloride).	10,000
thioguanine [C]	Solid oral dosage form: 40 mg.	1,000
vinblastine	Powder for injection: 10 mg (sulfate) in vial.	33,000
vincristine	Powder for injection: 1 mg (sulfate) in vial.	13,500
asparaginase	Powder for injection: 10 000 IU in vial.	10,000
8.2 Cytotoxic and adjuvant medicines		
allopurinol	Tablet: 100 mg	300,000
allopurinol	Tablet: 300 mg	300,000
8.3 Hormones and antihormones		
hydrocortisone	Powder for injection: 100 mg (as sodium succinate) in vial.	1.500.000
methylprednisolone	Injection: 40 mg/ml (as sodium succinate) in 1-ml single dose vial	75,000
	Injection: 125 mg/ml (as sodium succinate) in 1-ml single dose vial	50,000
	Injection: 500 mg/ml (as sodium succinate) in 1-ml single dose vial	125,000
	Injection: 1000 mg/ml (as sodium succinate) in 1-ml single dose vial	50,000
Prednisolone	Oral liquid: 5 mg/ml	30,000
Prednisolone	Tablets 5mg	1.500.000
prednisolone	Tablet: 20 mg	1.500.000
8.4 Medicines used in palliative care		
amitriptyline	Tablet: 10 mg	1.500.000
amitriptyline	Tablet: 25 mg	3.000.000
fluoxetine	Solid oral dosage form: 20 mg (as hydrochloride).	5.000.000
hyoscine hydrobromide	Injection: 400 micrograms/ml;	100.000
hyoscine hydrobromide	Injection: 600 micrograms/ml.	100.000
ibuprofen	Oral liquid: 200 mg/5 ml.	2.000.000
ibuprofen	Tablet: 200 mg;	15.000.000
ibuprofen	Tablet: 400 mg;	40.000.000
ibuprofen	Tablet: 600 mg.	15.000.000
midazolam	Injection: 1 mg/ml;	100.000
midazolam	Injection: 5 mg/ml.	150.000
9. ANTIPARKINSONISM MEDICINES		
levodopa + carbidopa	Tablet: 100 mg + 10 mg	3.500.000
levodopa + carbidopa	Tablet: 250 mg + 25 mg.	2.000.000
10. MEDICINES AFFECTING THE BLOOD		
10.1 Antianaemia medicines		
ferrous salt	Oral liquid: equivalent to 25 mg iron (as sulfate)/ml.	150.000
ferrous salt	Tablet: equivalent to 60 mg iron.	10.000.000
ferrous salt + folic acid	Tablet equivalent to 60 mg iron + 400 micrograms folic acid	25.000.000
folic acid	Tablet: 1 mg;	3.000.000
folic acid	Tablet: 5 mg.	3.000.000

hydroxocobalamin	Injection: 1 mg (as acetate, hydrochloride or as sulfate) in 1-ml ampoule.	50.000
erythropoietin	Injection: 4000IU-vial	400.000
heparin sodium	Injection: 1000 IU/ml.	6.000
heparin sodium	Injection: 5000 IU/ml.	1.200.000
heparin sodium	Injection: 20 000 IU/ml	100.000
low- molecular-weight heparin(LMWH)	2500 IU AntiXa Tinzaparin	3.000.000
low- molecular-weight heparin(LMWH)	10000 IU AntiXa Tinzaparin	500.000
protamine sulfate	Injection: 10 mg/ml in 5-ml ampoule.	20.000
warfarin	Tablet: 1 mg (sodium salt).	1.500.000
warfarin	Tablet: 2 mg; (sodium salt).	3.000.000
Warfarin	Tablet: 5 mg (sodium salt).	1.500.000
Deferoxamine*	Powder for injection: 500 mg (mesilate) in vial.- Box /10vial	1,000

11. BLOOD PRODUCTS AND PLASMA SUBSTITUTES

11.1 Plasma substitutes

Dextran 70*	Injectable solution: 6%.	550.000
	* Polygeline, injectable solution, 3.5% is considered as equivalent.	100.000
Factor VIII concentrate to br replaced with Interferon a & b	250IU -vial	1,000
factor VIII concentrate	500 IU	1,000
factor VIII concentrate	1000 IU	1,000
Factro IX complex concentrate	dried	3,000
Intravenous immunoglobulin (IVIG)	Injection: 3g vial	500
Intravenous immunoglobulin (IVIG)	Injection: 6g vial	500
interferon α 2B	Injection: 50 mg, 150mg vial	2,500

12. CARDIOVASCULAR MEDICINES

glyceryl trinitrate	Tablet (sublingual): 500 micrograms.	600.000
isosorbide dinitrate	Tablet (sublingual): 10mg	5.000.000
isosorbide dinitrate	Tablet (sublingual): 20 mg	5.000.000
Metoprolol	Injection: 1mg/5ml Ampoule	10,000
	Tablet : 50 mg	150.000
Metoprolol	Tablet: 200mg Slow release	100.000
digoxin	Injection: 250 micrograms/ml in 2-ml ampoule.	50.000
	Tablet: 250 micrograms.	300.000
norepinephrine (adrenaline)	Injection: 8mg/4ml 4-ml ampoule.	100.000
lidocaine	Injection: 20 mg (hydrochloride)/ml in 5-ml ampoule.	700.000
verapamil	Injection: 2.5 mg (hydrochloride)/ml in 2-ml ampoule.	25.000
	Tablet: 80 mg (hydrochloride).	150.000
amiodarone	Injection: 50 mg/ml in 3-ml ampoule (hydrochloride).	50.000
Amlodipine	Tablet: 5 mg (as maleate, mesylate or besylate).	3.000.000
Enalapril	Tablet: 5 mg (as hydrogen maleate).	5.000.000
hydralazine*	Injection: 20 mg (hydrochloride) in ampoule.	60.000

hydralazine*	Tablet: 25 mg (hydrochloride)	100.000
hydralazine*	Tablet: 50 mg (hydrochloride).	100.000
hydrochlorothiazide	Solid oral dosage form: 12.5 mg	250.000
hydrochlorothiazide	Solid oral dosage form: 25 mg.	250.000
methyldopa*	Tablet: 250 mg.	20.000.000
sodium nitroprusside	Powder for infusion: 50 mg in ampoule.	10.000
dobutamine	Injection: 250mg/20ml solution for infusion ampoules	150.000
furosemide	Tablet: 40 mg	30.000.000
furosemide	Tablet: 500 mg	25.000
furosemide	Injection: 20mg/2ml - 2ml ampoule	3.000.000
Dopamine	Injection: 40 mg/ml (hydrochloride) in 5-ml vial.	300.000
acetylsalicylic acid - cardiac dosage	Tablet: 100 mg.	15.000.000
clopidogrel	Tablet 75mg	1.500.000
Streptokinase	Powder for injection: 1.5 million IU in vial.	30.000
Atenolol	Tablets 50,	30.000.000
Atenolol	Tablets 100mg	13.500.000
Propranolol	Tablets 100mg	18.500.000
13. DERMATOLOGICAL MEDICINES (topical)		
Benzyl benzoate	Lotion: 25%.	500.000
permethrine (anti-lice)	Shampoo	100.000
silver sulphadiazine	Cream:1%	10.000.000
Trolamine	Emulsion external use 0,67%	250.000
fucidic acid	Cream :2%	25.000
betamethasone	Cream:0,1%	300.000
15.Disinfectants & antiseptics		
chlorhexidine digluconate	Solution:5% 1L Bottle	400.000
polyvidone iodine	Solution10%	600.000
16. DIURETICS		
mannitol	Injectable solution: 10%;	50.000
mannitol	Injectable solution: 20%	200.000
spironolactone	Tablet: 25 mg.	10.000.000
17. GASTROINTESTINAL MEDICINES		
17.1 Antiulcer medicines		
omeprazole	Solid oral dosage form: 10 mg	5.000.000
omeprazole	Solid oral dosage form: 20 mg.	27.000.000
omeprazole	Solid oral dosage form:40 mg.	25.000.000
omeprazole	Injection: 40 mg in 10 ml vials	500.000
Ranitidine	Injection: 25mg/ml (HCL) in 2 ml amp	2.000.000
17.2 Antiemetic medicines		

metoclopramide	Injection: 10mg/2ml ampoules	3.000.000
ondansetrone	Injection: 4 MG	100.000
17.3 Anti-inflammatory medicines		
hydrocortisone	Suppository: 25mg	50.000
17.5 Medicines used in diarrhoea		
oral rehydration salts	Powder for dilution	5.000.000
Insulins and other medicines used for diabetes		
Glibenclamide	Tablet: 5 mg.	100.000.000
Insulin Rapid	Injection : 100IU/ml, 10ml	600.000
Insulin Mix 70/30	Injection: 100IU/ml, 10 ml vial	2.000.000
Insulin Tardum	Injection: 100IU/ml, 10 ml	1.000.000
Insulin pens R- cartridge with needle, 100IU/ml, 3ml(special list)fifth quantity	Box / 5 Cartridges	150.000
Insulin pens Mix-cartridge with needle, 100IU/ml, 3ml	Box / 5 Cartridges	600.000
Insulin pens N-cartridge with needle, 100IU/ml, 3ml	Box / 5 Cartridges	300.000
metformin	Tablet: 850 mg (hydrochloride).	100.000.000
medroxyprogesterone acetate	Tablet: 5 mg.	100.000
Thyroid hormones and antithyroid medicines		
levothyroxine	Tablet: 50 micrograms (sodium salt)	15.000.000
levothyroxine	Tablet: 100 micrograms (sodium salt).	15.000.000
propylthiouracil	Tablet: 50 mg.	100.000
methimazole	Tablet: 5mg	50.000
19. IMMUNOLOGICALS		
Diagnostic Agents		
tuberculin, purified protein derivative (PPD)	Injection: 1,5ml -10 UT- Ampoule	100.000
Sera and immunoglobulins		
anti-D immunoglobulin (human)	Injection: 250 micrograms in single-dose vial.	120.000
antivenom immunoglobulin*	Injection.	
	* Exact type to be defined locally.	as per requirements
20. MUSCLE RELAXANTS (PERIPHERALLY-ACTING) AND CHOLINESTERASE INHIBITORS		
Atracurium	Injection:25MG/ml Besylate	500.000

neostigmine	Tablet: 15 mg (bromide).	250.000
neostigmine	Injection 2.5 mg (metilsulfate) in 1-ml ampoule	200.000
neostigmine	Injection: 500 micrograms in 1-ml ampoule; .	500.000
suxamethonium	Powder For Injection: 50 mg (chloride)/ml in 2-ml ampoule.	200.000
o vecuronium	Powder for injection: 10 mg (bromide) in vial.	5,000
pyridostigmine	Injection: 1 mg in 1-ml ampoule.	500.000
	Tablet: 60 mg (bromide).	1.200.000
21. OPHTHALMOLOGICAL PREPARATIONS		
aciclovir	Ointment: 3% W/W.	75.000
Gentamicin	Solution (eye drops): 0.3% (sulfate).	30.000
Ciprofloxacin	Eye ointment: 1%	20.000
Tetracycline	Eye ointment: 1% (hydrochloride).	400.000
Prednisolone	Solution (eye drops): 0.5% (sodium phosphate).	15.000
Tetracaine	Solution (eye drops): 0.5% (hydrochloride).	10.000
acetazolamide	Tablet: 250 mg.	100.000
Pilocarpine	Solution (eye drops): 2%; 4% (hydrochloride or nitrate).	10.000
Atropine	Solution (eye drops): 0.3% (sulfate)	5.000
Atropine	Solution (eye drops): 0.5% (sulfate)	20.000
Atropine	Solution (eye drops): 1% (sulfate)	20.000
Timolol	Solution (eye drops): 0.5% (as hydrogen maleate).	700.000
tobramycin	Ophthalmic drops :0.3%	10.000
22. OXYTOCICS AND ANTIOXYTOCICS		
Ergometrine	Injection: 200 micrograms (hydrogen maleate) in 1-ml ampoule.	500.000
oxytocin	Injection: 10 IU in 1-ml.	500.000
nifedipine	Immediate-release capsule: 10 mg.	5.000.000
Misoprostol	Tablet: 200 micrograms.	10.000
Misoprostol	Vaginal tablets 25 microgrammes	10.000
24. MEDICINES FOR MENTAL AND BEHAVIOURAL DISORDERS		
Chlorpromazine	Injection: 25 mg (hydrochloride)/ml in 2-ml ampoule.	80.000
Fluphenazine	Injection: 25 mg (decanoate or enantate) in 1-ml ampoule.	50.000
haloperidol	Injection: 5 mg in 1-ml ampoule.	100,000
	Tablet: 2 mg	6.000.000

	Tablet: 5 mg.	1.000.000
benzhexol	Tablet: 2mg	10.000.000
benzhexol	Tablet: 5mg	5.000.000
fluoxetine	oral form: 20 mg (as hydrochloride).	300.000
carbamazepine	Tablet (scored): 100 mg.	70.000
carbamazepine	Tablet (scored): 200 mg.	10.000.000
lithium carbonate	Solid oral dosage form: 300 mg.	3.000.000
valproic acid (sodium valproate)	Tablet (enteric-coated): 200 mg(sodium valproate).	5.000.000
valproic acid (sodium valproate)	Tablet (enteric-coated): 500 mg (sodium valproate).	5.000.000
clomipramine	Capsule: 10 mg (hydrochloride).	1.000.000
clomipramine	Capsule:25 mg (hydrochloride).	4.000.000
RESPIRATORY TRACT		
salbutamol	Inhalation (aerosol): 100 micrograms (as sulfate) per dose.	1.250.000
	Injection:0,5mg/ml	150.000
	Respirator solution for use in nebulizers: 5 mg (as sulfate)/ml.	250.000
Beclomethazone dipropionate	Nasal Spray: 50mcg/puff	200,000
Ipratropium bromide	Inhalation aerosol 20 icrograme/ etered dose	600.000
26. SOLUTIONS CORRECTING WATER, ELECTROLYTE AND ACID-BASE DISTURBANCES		
potassium chloride	injectable Solution: 11.2% in 20-ml ampoule. (equivalent to K+ 1.5 mmol/ml, Cl- 1.5 mmol/ml).	200.000
	Tablet: 600mg	200.000
	Syrup: 40 m Eq. Potassium per 30mL	10.000
glucose	Injectable solution: 5% (isotonic); 1L	3.325.000
glucose	Injectable solution: 10% (hypertonic); 1L	200.000
glucose	Injectable solution.; 50% (hypertonic).	35.000
glucose with sodium chloride	Injectable solution: 4% glucose, 0.18% sodium chloride	4.200.000
	(equivalent to Na+ 30 mmol/L, Cl- 30 mmol/L).1L	
		1.000.000
sodium chloride	Injectable solution: 0.9% isotonic (equivalent to Na+ 154 mmol/L, Cl- 154 mmol/L).1L	5.000.000
sodium bicarbonate	Injectable solution: 1.4% isotonic (equivalent to Na+ 167 mmol/L, HCO ₃ - 167 mmol/L).	5.000.000

Sodium lactate, compound solution	Injectable solution.	5.000.000
27. VITAMINS AND MINERALS		
B- complex	Tablet: B1+B6+B12	1.000.000
ascorbic acid	Tablet: 500 mg.	15.000.000
cholecalciferol	Oral liquid: 400 IU/ml.	3.000.000
	Solid oral dosage form: 400 IU	1.500.000
	Solid oral dosage form: 1000 IU.	1.500.000
Nicotinamide	Tablet: 50 mg.	200.000
pyridoxine	Tablet: 25 mg (hydrochloride).	200.000
Retinol	Capsule: 50 000 IU; (as palmitate).	1.000.000
retinol	Capsule: 100 000 IU(as palmitate).	500.000
retinol	Capsule: 200 000 IU (as palmitate).	500.000
	Oral oily solution: 100 000 IU (as palmitate)/ml in multidose dispenser.	250.000
	Tablet (sugar-coated): 10 000 IU (as palmitate).	250.000
	Water-miscible injection: 100 000 IU (as palmitate) inJ 2ml amp	250.000
riboflavin	Tablet: 5 mg.	100.000
thiamine	Tablet: 50 mg (hydrochloride).	100.000
Calcium gluconate	Injection: 100 mg/ml in 10-ml ampoule.	150