


Highlights

- A total of 202,301 consultations were recorded in all the 14 governorates
- The leading causes of morbidity among all age groups were Influenza Like Illness 16,832 (60.67%) and Acute Diarrhea 6,452 (23.26%).
- A total of 635 suspected COVID-19 cases were reported by EWARS system, Most of the cases were reported from Tartous (149), Aleppo (131) and Hama (109)
- MoH reported 412 confirmed cases of COVID-19, the cumulative number of COVID-19 confirmed cases is 14820
- 10 suspected measles cases in Al-Hasakeh (3) Idleb (3) Rural Damascus (2) Tartous (1) Aleppo (1)

Performance Indicators

• A total of 1,089 out of 1,360 active reporting sites (80.07%) in all 14 governorates of Syria reported through EWARS, with 91.92% timeliness among those sites providing data during the week (Figure 1)



Morbidity

• A total of 202,301 consultations were recorded in 1089 health facilities in 14 governorates. Among them, 27,742 cases were EWARS notifiable health conditions (Figure 2)

• The leading causes of morbidity among all age groups were Influenza Like Illness 16,832 (60.67%) and Acute Diarrhea 6452 (23.26%).

• Of the 27,742 total reported cases, 49.73% (13796) were female, and 43.22% (11,990) were children under 5 years old

• Children under 5 years of age 59.99% of cases are ILI, and ILI representing 61.19% of the cases above 5 years during this reporting period (Figure 3)

• The proportional morbidity of ILI is 8.32% and **decrease of the** trend was observed: -0.7% from the previous week (Figure 4)

• The proportional morbidity of AD is 3.19% and **decrease of the** trend was observed: -0.66% from the previous week (Figure 4)

Figure 3: Proportional morbidity by age group





Figure 4: Proportion of Morbidity of top 4 diseases among the total consultation



1. Waterborne Diseases

- There was 0 case of acute watery diarrhea (AWD)
- A total of 6452 AD cases were reported during this week




Figure 5: acute diarrhea by week

2. Vaccine Preventable Diseases

• 0 cases of acute flaccid paralysis (AFP)in this week

• Number of suspected measles in thre reporting week was (10) cases. Most cases were reported from Al-Hasakeh (3) Idleb (3) Rural Damascus (2) Tartous (1) Aleppo (1).




Figure 6: Suspected measles cases by week

3. Respiratory Diseases

• In total, 16,832 ILI cases were reported during week.

• In total, 274 SARI cases were reported, and the trend is shown in (Figure 7). Most of the cases were reported from Damascus (107) Hama (58) Al-Hasakeh (45) Tartous (32) Aleppo (19) Homs (8) Ar-Raqqa (5)




Figure 7: SARI cases by week

4. Other Diseases

Week number

• 2,830 cases were reported as "other diseases" through EWARS. The health conditions with the highest incidents were Leishmaniasis (1,269) Lice (494) and Scabis (371)

• During this week, most of suspected leishmaniasis cases were reported from Aleppo (801) Hama (155) Al-Hasakeh (130)




Figure 8: Number of suspected Leishmaniasis cases

Week number

COVID-19


As of 13 February 2021, a total of 14,820 confirmed cases – in 13 governorates, Damascus (2,884) (19.46%), Homs (2,245)(15.15%), Aleppo (2,230) (15.05%), Lattakia (2,056) (13.87%), Rural Damascus (1,457) (9.83%), Tartous (1,119) (7.55%), Dar'a (934) (6.3%), As-Sweida (839) (5.66%), Hama (708) (4.78%), Quneitra (247) (59) (0.4%), Al-Hasakeh (35) (0.24%), Ar-Raqqa (7) (0.05%),

• 169 cases are Travell Related (1.14%), 998 cases are Contact with confirmed case (6.73%), 13653 cases are undefined source of exposure (92.13%),

• A total of 635 suspected COVID-19 cases were reported by EWARS system, in this week. Most of cases were reported from Tartous (149), Aleppo (131) and Hama (109)

Figure 9: confirmed COVID-19 cases by type of exposure

• Number of deaths related to COVID-19 is 975 in 11 governorates, CFR 6.6%



Comparison with Previous Week by Health

| DiseaseName | 21W03 | 21W04 | 21W05 | 21W06 | Total |
|---|--------|--------|--------|--------|---------|
| Acute bloody diarrhea | 103 | 63 | 55 | 75 | 296 |
| Acute Diarrhea | 7,356 | 7,390 | 7,331 | 6,452 | 28,529 |
| Acute Flaccid Paralysis | 3 | 6 | 4 | 0 | 13 |
| Acute Watery diarrhea (suspected cholera) | 0 | 0 | 0 | 0 | 0 |
| Brucellosis | 108 | 119 | 128 | 93 | 448 |
| chicken pox | 154 | 173 | 213 | 155 | 695 |
| COVID-19 Suspected | 1,048 | 937 | 806 | 635 | 3,426 |
| Influenza Like Illness | 17,096 | 18,156 | 17,188 | 16,832 | 69,272 |
| Leishmaniasis | 1,428 | 1,405 | 1,445 | 1,269 | 5,547 |
| Lice | 508 | 603 | 728 | 494 | 2,333 |
| Measles and Rubella | 16 | 13 | 22 | 10 | 61 |
| Meningitis | 42 | 40 | 34 | 25 | 141 |
| Mumps | 61 | 56 | 67 | 30 | 214 |
| Others | 191 | 251 | 258 | 262 | 962 |
| Pertussis | 254 | 232 | 209 | 100 | 795 |
| SARI | 194 | 189 | 256 | 274 | 913 |
| Scabis | 317 | 384 | 415 | 371 | 1,487 |
| Suspected Hepatitis (Jaundice) | 782 | 783 | 685 | 509 | 2,759 |
| Tuberculosis | 13 | 31 | 20 | 13 | 77 |
| Typhoid Fever | 252 | 242 | 221 | 143 | 858 |
| Total | 29,926 | 31,073 | 30,085 | 27,742 | 118,826 |

Case Distribution by Age Group, and by Governorate

Week

2021 Week 06 (7 - 13 February 2021)

| DiseaseGroup | Aleppo | Al- Hasakeh | Ar-Raqqa | As- Sweida | Damascus | Daraa | Deir-ez- Zor | Hama | Homs | Idleb | Lattakia | Quneitra | Rural Damascus | Tartous | Total ▼ |
|--|---------------------|-------------------|----------|---------------|-----------|-----------|-----------------|-------------------|----------|----------|----------|----------|-------------------|------------|--------------|
| Priority Diseases | 4,704 | 2,414 | 917 | 254 | 1,563 | 905 | 4,700 | 634 | 602 | 1,651 | 1,228 | 1,019 | 2,282 | 2,039 | 24,912 |
| Influenza Like Illness | 3,247 | 1,580 | 420 | 189 | 895 | 576 | 3,575 | 194 | 431 | 766 | 728 | 854 | 1,756 | 1,621 | 16,832 |
| 5 years or more | 1,986 | 750 | 201 | 123 | 588 | 341 | 1,835 | 63 | 223 | 374 | 392 | 531 | 1,136 | 1,096 | 9,639 |
| Less than 5 years | 1,261 | 830 | 219 | 66 | 307 | 235 | 1,740 | 131 | 208 | 392 | 336 | 323 | 620 | 525 | 7,193 |
| Acute Diarrhea | 1,257 | 756 | 307 | 37 | | 233 | | 251 | 134 | 814 | 484 | 141 | 483 | 228 | 6,452 |
| Less than 5 years | 644 | 442 | 177 | 17 | 206 | 93 | 610 | 158 | 80 | 423 | 169 | 57 | 219 | 83 | 3,378 |
| 5 years or more COVID-19 Suspected | 613 131 | 314 | 130 | 20 25 | 287 48 | 140 73 | 224 25 | 93 109 | 54 18 | 391 7 | 315 0 | 84 18 | 264 28 | 145 149 | 3,074 635 |
| 5 years or more | 124 | 4 | | 25 | 40 | 73 | 25 | 109 | 18 | 7 | 0 | 17 | 28 | 149 | 619 |
| Less than 5 years | 7 | 4 | | 0 | 40 | 0 | 0 | 8 | 0 | 1 | 0 | 1 | 0 | 0 | 16 |
| Suspected Hepatitis | 44 | 12 | 154 | 2 | 12 | 19 | 176 | 20 | 10 | 25 | 8 | 6 | 13 | 8 | 509 |
| (Jaundice) | | | | _ | | | | | | | | | | | 505 |
| Less than 5 years | 22 | 3 | 81 | 0 | 3 | 3 | 139 | 6 | 3 | 14 | 6 | 1 | 2 | 1 | 284 |
| 5 years or more | 22 | 9 | 73 | 2 | 9 | 16 | 37 | 14 | 7 | 11 | 2 | 5 | 11 | 7 | 225 |
| SARI | 19 | 45 | 5 | | 107 | 0 | 0 | 58 | 8 | 0 | 0 | 0 | 0 | 32 | 274 |
| Less than 5 years | 13 | 29 | 4 | 0 | 40 | 0 | 0 | 52 | 1 | 0 | 0 | 0 | 0 | 21 | 160 |
| 5 years or more | 6 | 16 | 1 | 0 | 67 | 0 | 0 | 6 | 7 | 0 | 0 | 0 | 0 | 11 | 114 |
| Pertussis | 3 | 0 | 1 | 0 | | | | 0 | 0 | | 0 | 0 | 0 | 0 | |
| Less than 5 years | 3 | 0 | 0 | 0 | 0 | 0 | 52 | 0 | 0 | 18 | 0 | 0 | 0 | 0 | 73 |
| 5 years or more | 0 | 0 | 1 | | | 0 | 13 | 0 | 0 | 13 | 0 | | 0 | 0 | 27 |
| Acute bloody diarrhea | 2 | | 18 | 0 | | | | 0 | | | 8 | 0 | | 0 | |
| 5 years or more | 2 | 6 | 10 | 0 | 6 | 3 | 6 | 0 | 0 | 0 | 6 | 0 | 0 | 0 | 39 |
| Less than 5 years | 0 | 8 | 8 12 | 0 | 0 | 1 | 17 2 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 36 |
| Meningitis Less than 5 years | 0 | 0 | 12 | 1 | 0 | 0 | 2 | 2 | 0 | 5 | 0 | 0 | 0 | 0 0 | 25 14 |
| 5 years or more | 0 | 0 | 5 | 0 | 2 | 0 | 0 | 1 | 1 | 2 | 0 | 0 | 0 | 0 | 14 |
| Measles and Rubella | 1 | 3 | 0 | | 1 | | | 0 | | | 0 | 0 | 2 | 1 | |
| Less than 5 years | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 | 0 | 8 |
| 5 years or more | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 2 |
| Acute Flaccid Paralysis | 0 | 0 | 0 | | | | | 0 | - | | 0 | 0 | 0 | 0 | |
| 5 years or more | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Less than 5 years | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| Acute Watery diarrhea (suspected cholera) | 0 | 0 | 0 | | | 0 | 0 | | | | | | 0 | | 0 |
| 5 years or more | - | 0 | - | | | | | | | | | | 0 | | 0 |
| Less than 5 years | 0 | 0 | 0 | | | 0 | 0 | | | | | | | | 0 |
| Other Diseases | <u>1,040</u> 801 | <u>378</u> 130 | 24 5 | 6 | | 76 | | 220 | | í | 17 | 30 | 137 56 | 8 | 2,830 |
| Leishmaniasis 5 years or more | 801 614 | 65 | 3 | 2 2 | 8 | 2 2 | 53 36 | 155 135 | 0 | 45 22 | 7 7 | 0 | 56 | 5 | 1,269 951 |
| Less than 5 years | 187 | 65 | 2 | 0 | 0 | 0 | 17 | 20 | 0 | 22 | 0 | 0 | 4 | 0 | 318 |
| Lice | 107 | 14 | | | | | | | | | | | | | |
| 5 years or more | 94 | 5 | 3 | 0 | 2 | 0 | 39 | 34 | 7 | 127 | 9 | 10 | 14 | 0 | 344 |
| Less than 5 years | 12 | 9 | 1 | 0 | 3 | 0 | 24 | 0 | 0 | 99 | 0 | 2 | 0 | 0 | 150 |
| Scabis | 84 | | 0 | 3 | | | | 3 | | | 0 | | | | |
| 5 years or more | 70 | 45 | 0 | 3 | 4 | 0 | 104 | 3 | 15 | 22 | 0 | 2 | 0 | 3 | 271 |
| Less than 5 years | 14 | 24 | 0 | 0 | 0 | 0 | 47 | 0 | 1 | 13 | 0 | 0 | 1 | 0 | 100 |
| Others | 3 | | 0 | | 1 | | | | | | | | | | |
| 5 years or more | 3 | 56 | 0 | 0 | 1 | 37 | 0 | 7 | 3 | 0 | 0 | 2 | 32 | 0 | 141 |
| Less than 5 years | 0 | 94 | 0 | 0 | 0 | 11 | 0 | 1 | 3 | 0 | 0 | 8 | 4 | 0 | 121 |
| chicken pox | 18 | | | | | | | 3 | | | | | | | |
| Less than 5 years | 7 | 3 | 0 | 0 | 0 | 5 | 39 | 0 | 2 | 18 | 0 | 3 | 4 | 0 | 81 |
| 5 years or more | 11 | 2 | 1 | 0 | 3 | 1 | 21 | 3 | 2 | 25 | 1 | 3 | 1 | 0 | 74 |
| Typhoid Fever | 5 | | | | | | | | | | | | | | |
| 5 years or more | 3 | 5 | 7 | 0 | 0 | 15 | 54 19 | 1 | 0 | 11 17 | 0 | 0 | 7 | 0 | 103 40 |
| Less than 5 years Brucellosis | 2 12 | 0 | 0 | 1 | 0 | 0 5 | | 0 16 | 0 | | 0 | 0 | | 0 | |
| 5 years or more | 9 | 3 | 5 | 1 | 9 | 5 | 19 | 16 | 2 | 2 | 0 | 0 | 14 | 0 | 83 |
| Less than 5 years | 3 | 0 | 0 | 0 | | 0 | 3 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 10 |
| Mumps | 2 | 2 | 2 | 0 | 0 | 0 | 8 | 0 | | | 0 | 0 | 1 | 0 | |
| 5 years or more | 1 | 2 | 2 | 0 | 0 | 0 | 2 | 0 | 0 | 15 | 0 | 0 | 0 | 0 | 22 |
| Less than 5 years | 1 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 8 |
| Tuberculosis | 9 | 0 | 0 | 0 | | | | 0 | | | | | 1 | | |
| 5 years or more | 9 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | | 1 | 0 | 13 |
| Less than 5 years | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| Total | 5,744 | 2,792 | 941 | 260 | 1,597 | 981 | 5,130 | 854 | 637 | 2,046 | 1,245 | 1,049 | 2,419 | 2,047 | 27,742 |