Children 2022 601.433

**Key Figures** 



85.531

**Screened Children** (0 - 59 months) in Sep



Screened Children (Under 6 months)



GAM (WHZ) (6 - 59 months)



**50%** 

Stunting (6 - 59 months)




23% Anemia (6 - 59 months)





**52%** Underwight (0 - 59 months)





Exclusive Breastfeeding (0 - 6 months)














## **Objectives of the Yemen Nutrition Surveillance System**

alert verification..

## Methodology

Nutritional assessment in NSS is normally performed through the measurement of child's weigh, height/length, MUAC, age, hemoglobin level, breastfeeding status and oedema. It is Facility-based surveillance system, established mainly in district hospitals across the country.

Monitor children nutritional status, early detection of malnutrition and case referral. Share information and trigger the total children screened. It is not a formal survey using sampling methods to produce representative results.


The system provides proportion of children under five years found suffering from any forms of malnutrition, out of


The results only reflect the status of children who have attended the health facility in the month under review. The system tracks Global core nutrition indicators: Stunting, Wasting, Exclusive breastfeeding and Anemia. This bulletin is based on reports received by the health facility surveillance MoPHP teams\*.


WHO supports the MoPHP and constantly works to expand coverage and improve data quality, funded by World Bank.


Summary for Nutrition Indicators Sep 2022 in Reporting Gov


				Acute Malnutrition by Z- Score				Acute Malnutriton by MUAC				Underweight		Stunting		Exclusive Breastfeeding		Anemia		Oedema	
Governorate	# of Screened Children (0 - 5)	# of Screened Children (6 - 59)	Propartion of GAM (0 - 5)	# of MAM	Proportion of MAM	# of SAM	Proportion of SAM	# of MAM	Proportion of MAM	# of SAM	Proportion of SAM	# of Underweight	Proportion of Under weight	# of Stunting	Proportion of Stunting	# of EBF	Proportion of EBF (Yes)	# of Anemia	Proportion of Anemia	# of   Oedema	Proportion of Oedema
Al Bayda	1,110	3,443	16.2%	545	16%	228	7%	462	13%	230	7%	1,905	42%	1,446	42%	179	16%	130	11%	5	0.1%
Al Dhale'e	186	1,168	28.0%	266	23%	82	7%	188	16%	87	7%	686	51%	511	44%	62	31%	36	6%	1	0.1%
Al Hudaydah	1,118	5,836	25.0%	2,102	36%	1,424	24%	2,016	35%	1,347	23%	5,096	73%	3,384	58%	57	5%	3,447	59%	0	
Al Jawf	286	1,638	30.1%	310	19%	167	10%	222	14%	133	8%	958	50%	715	44%	54	18%	303	20%	4	0.2%
Al Mahwit	1,082	3,984	17.3%	786	20%	215	5%	625	16%	226	6%	2,437	48%	1,953	49%	180	15%	904	23%	1	0.0%
Amanat Al Asimah	2,134	6,376	23.4%	1,249	20%	342	5%	717	11%	210	3%	3,885	46%	2,878	45%	335	15%	1,388	23%	3	0.0%
Amran	1,260	5,320	17.5%	1,110	21%	543	10%	1,215	23%	645	12%	3,749	57%	3,027	57%	151	11%	1,556	29%	2	0.0%
Dhamar	1,136	4,995	19.1%	871	17%	455	9%	1,131	23%	585	12%	3,486	57%	2,953	59%	153	13%	586	13%	25	0.4%
Hadramaut	1,107	1,440	-	204	14%	70	5%	117	8%	41	3%	611	24%	318	22%	230	20%	140	45%	0	0.0%
Hajjah	1,600	6,936	12.1%	1,162	17%	513	7%	1,155	17%	491	7%	4,450	52%	3,670	53%	212	12%	1,338	19%	3	0.0%
lbb	1,920	5,915	21.8%	1,485	25%	618	10%	1,138	19%	436	7%	4,338	55%	3,028	51%	257	12%	520	9%	33	0.4%
Lahj	212	1,073	-	223	21%	110	10%	163	15%	55	5%	572	45%	298	28%	29	13%	141	13%	0	0.0%
Marib	187	1,253	13.4%	218	17%	118	9%	180	14%	76	6%	649	45%	528	42%	60	30%	177	22%	11	0.8%
Raymah	270	1,638	27.4%	366	22%	82	5%	389	24%	89	5%	1,240	65%	1,134	69%	9	3%	355	22%	3	0.2%
Sa'ada	741	5,363	19.8%	1,324	25%	506	9%	1,321	25%	688	13%	3,598	59%	2,906	54%	132	16%	1,500	30%	1	0.0%
Sana'a	844	4,529	14.8%	732	16%	254	6%	567	13%	187	4%	2,286	43%	1,944	43%	190	21%	318	7%	0	0.0%
Aden	546	718	-	157	22%	69	10%	117	16%	29	4%	485	38%	208	29%	-	-	-	-	0	0.0%
Taizz	1,566	5,847	16.5%	1,468	25%	452	8%	1,133	19%	319	5%	3,848	52%	2,784	48%	185	11%	1,219	22%	7	0.1%
Abyan	39	454	-	71	16%	40	9%	64	14%	16	4%	185	38%	141	31%	-	-	-	-	0	0.0%
Shabwah	63	198	-	36	18%	15	8%	23	12%	4	2%	100	38%	77	39%	-	-	-	-	0	0.0%














## **Moderate** < -2 z-score and >= -3 z-score **Severe** < -3 z-score → % Girls → % Boys **31%** affected by moderate underweight in September affected by severe underweight in September 29% 29% 29% 29% 30% 31% 30% 31% 30% 20% 22% 22% 21% 9-9-8-9-8-9 17% 17% 17% 16% 28% 28% 27% 27% 28% 29% 29% 29% 29% 17% 19% 18% 18% 10% 14% 14% 14% 13% Jan Feb Mar Apr May Jun Jul Aug Sep Jan Feb Mar Apr May Jun Jul Aug Sep

Underweight by Weight/Age Z Score / Gender (Monthly Trend)