## YEMEN: cholera outbreak Daily epidemiology update: 24 June 2017



## **Highlights**

From 27 April to 23 June 2017, 200 420 suspected cholera cases and 1 310 deaths (CFR: 0.7%) have been reported in 87% (20/23) of Yemen governorates, and 85% (284/333) of the districts.

## **Geographical distribution of cases**

The four most affected governorates were Amanat Al Asimah, Al Hudaydah, Hajjah and Amran with 49.8% (99 762/200 420) of the cases reported **since 27 April 2017**. Amran and Sana'a governorates had the highest attack rates (14.0 and 13.3 % respectively), and Raymah governorate the highest case fatality ratio (1.7%) (see table).

Number of suspected cholera cases & deaths, AR and CFR by governorate, Yemen, 27 April – 23 June 2017

Governorates	Cases	Deaths	CFR (%)	Attack Rate (‰)
Amanat Al Asimah	31 660	53	0.2	9.6
Al-Hudaydah	24 876	155	0.6	7.4
Hajjah	21 800	195	0.9	9.8
Amran	21 426	133	0.6	14.0
Sana'a	16 641	95	0.6	13.3
Taizz	15 360	115	0.7	5.1
Ibb	15 093	186	1.2	4.9
Dhamar	10 654	90	0.8	5.0
Al Mahwit	10 035	77	0.8	13.2
Al Dhale'e	8 445	41	0.5	11.2
Al Bayda	6 752	18	0.3	8.8
Aden	5 799	41	0.7	6.1
Abyan	3 762	21	0.6	6.2
Raymah	3 747	63	1.7	5.9
Lahj	2 170	12	0.6	2.1
Al_Jawf	1 070	9	0.8	1.6
Ma'areb	629	4	0.6	1.7
Sa'ada	253	1	0.4	0.3
AL Mahrah	178	1	0.6	1.1
Shabwah	70	- 1 210	- 0.7	0.1
Total	200 420	1 310	0.7	6.8

Al Hali (Al Hudaydah gov., 9 439 cases, 17 deaths), Bani Al Harith (Amanat Al Asimah gov., 6 221 cases, 10 deaths), Ma'ain (Amanat Al Asimah gov., 6 057, 7 deaths) and As Sabain (Amanat Al Asimah gov., 4 956 cases, 9 deaths) were still the four most affected districts.

## For further information:

Dr Xavier de Radiguès C: +967 738 445 522

Dr Ahmed Zouiten zouitena@who.int

**Note:** This report is an update to the weekly epidemiology bulletin.