

A child is vaccinated during a nationwide polio campaign in January 2022. Seven national and one subnational campaign have taken place since 15 August last year

15 August 2022 – One year on from Afghanistan's transition of power in August 2021, the polio eradication programme in Afghanistan has made critical gains – but the job is far from finished.

Wild poliovirus transmission in Afghanistan is currently at its lowest level in history. Fifty six children were paralysed by wild poliovirus in 2020. In 2021, the number fell to four. This year to date, only one child has been paralysed by the virus, giving the country an extraordinary opportunity to end polio.

The resumption of nationwide polio vaccination campaigns targeting 9.9 million children has been a critical step. Since 2018, local-level bans on polio vaccination activities in some districts

controlled by the Taliban had significantly reduced the programme's ability to vaccinate every child across the country. With access to the entire country following the August transition, seven nationwide vaccination campaigns took place between November 2021 and June 2022, and a sub national campaign targeting 6.7 million children in 28 provinces took place in July. Of the 3.6 million children who had been inaccessible to the programme since 2018, 2.6 million were reached during the November, December and January campaigns. With improving reach to previously inaccessible children during subsequent campaigns, the number of missed children has been reduced to 0.7 million. Additional campaigns are planned for the remainder of the year.

With Afghanistan and Pakistan sharing one epidemiological block, the two countries continue to coordinate cross border activities. December and May's campaigns were synchronized with Pakistan's national campaigns, focusing on high-risk populations including nomadic groups, seasonal workers and communities straddling both borders.

Improved access also had a positive impact on polio surveillance activities. Afghanistan's surveillance indicators remained above global standards throughout the transition. With more secure access to all districts since August, the quality of activities has improved, particularly early case detection and reporting.

In June, the first review of the polio surveillance system in six years took place with WHO hosting a team of technical experts including epidemiologists and virologists. A small team visited in 2016 but insecurity and lack of access to much of the country limited the visitors' movements to the cities of Kabul, Herat, Kandahar, Jalalabad, Mazar-e-sharif and Kunduz. This year, the 16-strong team visited 76 districts across 25 of the country's 34 provinces. The review determined the likelihood of undetected poliovirus transmission in Afghanistan to be low. Recommendations, including upscaling surveillance in the country's south and south east, are being implemented.

With more than twenty years on the ground in Afghanistan, the polio programme continues to leverage its extensive operational capacity to deliver better health outcomes for all Afghans. In the face of an unprecedented humanitarian crisis, in addition to day-to-day polio activities, polio staff continue to support ongoing vaccination campaigns including measles and COVID 19. WHO's polio team in the southeast were among the first responders following the devastating earthquake in Paktika and Khost provinces in June. In addition to providing critical health care, the team's experience working among local communities provided the foundations of an assessment tool that mapped affected communities and ensured accurate data guided a focused response in the immediate aftermath.

Although the number of children paralysed by polio has reduced significantly in Afghanistan, the threat of a resurgence remains and the programme faces significant challenges. While access has improved across the country, reaching every child remains a challenge in some of the highest risk areas leaving immunity gaps and, with them, children vulnerable to polio.

On 24 February, eight polio workers were killed in targeted attacks in the country's north, not the first time polio workers had come under attack in the course of their life saving work. Four of those killed were women. Female polio workers play a critical role in the programme, building community trust and reaching all children.

The sharp rise in the number of wild polio cases in Pakistan is a cause for concern, and the detection of wild poliovirus cases in Malawi and Mozambique is a reminder of the virus's continued risks and the urgency required to permanently interrupt transmission in both Afghanistan and Pakistan.

While the polio programme has made important progress in the last 12 months, sustaining those gains with high quality campaigns that vaccinate all children and build enough immunity to end circulation of the virus for good is critical. This will require continuation of sufficient funding for the polio programme, mitigation of the humanitarian crisis by the international community and the national authorities, and secure and unfettered access to all children across the country. A polio free Afghanistan is within reach - all partners and stakeholders must sustain their commitment to ending polio in Afghanistan and help bring us closer to a polio free world.

Saturday 26th of April 2025 11:31:48 PM