
## WEEKLY AWD/CHOLERA SITUATION REPORT - SOMALIA


Epidemiological Week 25 (17 - 23 June 2019)


## Highlights

- During week 25,a new cholera outbreak was confirmed in Belet hawa district of Gedo region in Southwest state
- A total of 192 new cholera cases and no deaths were reported in 14 districts of Banadir region and 1 district of Gedo region
- Since December 2017, a total of 7,994 cumulative cases including 46 deaths (CFR 0.6%) were reported from 3 states of Somalia (Hirshabelle, Jubbaland and South West state) and Banadir region
- Since December 2017 a cumulative attack rate of 183 persons per 100,000 population was reported with Kismayo (Jubbaland) and Daynile (Banadir) being the most affected
- The overall Case Fatality Rate was (CFR 0.6%). In Daynile, Waberi, Karan and Kurtunwarey the CFR exceeded the WHO's threshold of <1%
- Of the 665 stool samples tested since December 2017, a total of 146 samples tested positive for Vibrio cholera serotype Ogawa
- The first round of Oral cholera vaccination (OCV) campaign targeting 650,000 people aged 1 year and above was started on 22<sup>th</sup> June 2019 in the districts of Kahda, Heliwa, Harmajajab, Balad, Afgoi and Kismayo

Cholera cases by state in Somalia, December 2017 to 23 June 2019









Belet ha

\* Case fatality rate >1% ha

192 ne

25, of v


7,994

2017 of

3,854

7,994

Decemi



Published by World Health Organization (WHO), Country Office, Mogadishu, Somalia For Correspondence: Tel: +252616695096; Email address: emacosomwr@who.int; URL: http://www.emro.who.int/countries/som/index.html

## **Highlights**

- During week 25, a new cholera outbreak was confirmed in Belet hawa district of Gedo region in Southwest state.
- A total of 192 new cholera cases and no deaths were reported in 14 districts of Banadir region and 1 district of Gedo region.
- Since December 2017, a total of 7,994 cumulative cases including 46 deaths (CFR 0.6%) were reported from 3 states of Somalia (Hirshabelle, Jubbaland and South West state) and Banadir region.
- Since December 2017 a cumulative attack rate of 183 persons per 100,000 population was reported with Kismayo (Jubbaland) and Daynile (Banadir) being the most affected.
- The overall Case Fatality Rate was (CFR 0.6%). In Daynile, Waberi, Karan and Kurtunwarey the CFR exceeded the WHO's threshold of <1%.
- Of the 665 stool samples tested since December 2017, a total of 146 samples tested positive for Vibrio cholera serotype Ogawa.
- The first round of Oral cholera vaccination (OCV) campaign targeting 650,000 people aged 1 year and above was started on 22 June 2019 in the districts of Kahda, Heliwa, Harmajajab, Balad, Afgoi and Kismayo.

## Read the full update

Saturday 20th of April 2024 04:12:30 PM