
WEEKLY AWD/CHOLERA SITUATION REPORT - SOMALIA


Epidemiological Week 25 (17 - 23 June 2019)


Highlights

- During week 25,a new cholera outbreak was confirmed in Belet hawa district of Gedo region in Southwest state
- A total of 192 new cholera cases and no deaths were reported in 14 districts of Banadir region and 1 district of Gedo region
- Since December 2017, a total of 7,994 cumulative cases including 46 deaths (CFR 0.6%) were reported from 3 states of Somalia (Hirshabelle, Jubbaland and South West state) and Banadir region
- Since December 2017 a cumulative attack rate of 183 persons per 100,000 population was reported with Kismayo (Jubbaland) and Daynile (Banadir) being the most affected
- The overall Case Fatality Rate was (CFR 0.6%). In Daynile, Waberi, Karan and Kurtunwarey the CFR exceeded the WHO's threshold of <1%
- Of the 665 stool samples tested since December 2017, a total of 146 samples tested positive for Vibrio cholera serotype Ogawa
- The first round of Oral cholera vaccination (OCV) campaign targeting 650,000 people aged 1 year and above was started on 22th June 2019 in the districts of Kahda, Heliwa, Harmajajab, Balad, Afgoi and Kismayo

Cholera cases by state in Somalia, December 2017 to 23 June 2019









Belet ha

* Case fatality rate >1% ha

192 ne

25, of v


7,994

2017 of

3,854

7,994

Decemi



Published by World Health Organization (WHO), Country Office, Mogadishu, Somalia For Correspondence: Tel: +252616695096; Email address: emacosomwr@who.int; URL: http://www.emro.who.int/countries/som/index.html

Highlights

- During week 25, a new cholera outbreak was confirmed in Belet hawa district of Gedo region in Southwest state.
- A total of 192 new cholera cases and no deaths were reported in 14 districts of Banadir region and 1 district of Gedo region.
- Since December 2017, a total of 7,994 cumulative cases including 46 deaths (CFR 0.6%) were reported from 3 states of Somalia (Hirshabelle, Jubbaland and South West state) and Banadir region.
- Since December 2017 a cumulative attack rate of 183 persons per 100,000 population was reported with Kismayo (Jubbaland) and Daynile (Banadir) being the most affected.
- The overall Case Fatality Rate was (CFR 0.6%). In Daynile, Waberi, Karan and Kurtunwarey the CFR exceeded the WHO's threshold of <1%.
- Of the 665 stool samples tested since December 2017, a total of 146 samples tested positive for Vibrio cholera serotype Ogawa.
- The first round of Oral cholera vaccination (OCV) campaign targeting 650,000 people aged 1 year and above was started on 22 June 2019 in the districts of Kahda, Heliwa, Harmajajab, Balad, Afgoi and Kismayo.

Read the full update

Thursday 2nd of May 2024 06:47:31 PM