










AWD Morbidity trends in Lower Shabelle Region and Banadir Hospital, Somalia Week 1 (4 Jan, 2010) - 45 (14 Nov, 2010)



Legend

-  AWD Cases
-  AWD Deaths
-  Major road
-  Banadir Hosp
-  Regional Boundary
-  District
-  Area of concern


AWD Acute Watery Diarrhoea

Data Limitations:
No of reporting sites and frequency of information may vary.


Data Source:
Health Partners, local health authorities;
Compiled by WHO

Disclaimer
The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the Secretariat of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitations of its frontiers or boundaries.


© WHO Nov, 2010
All rights reserved




Observed AWD trends in Lower Shabelle by years



In week 45, the number of AWD cases reported from Lower Shabelle region was 23, including 74% children under 5 years. The lowest level since week 1. Afgooye and Merka district account for 36% and 42% of the aggregate cases reported from week 1 to 45.



Most IDPs from the Afgooye Corridor are referred to Banadir Hospital. Since week 1 a total of 3390 cases including 2783 under five years of age, and 96 deaths have been reported from Banadir Hospital alone.



WHO Somalia Liaison Office
Warwick Center
UN Avenue, Gigiri
P.O Box 63565
Nairobi, Kenya
Phone: (254-20) 7623197/8,
7622840, Fax:7623725
Email: eha@nbo.emro.who.int
Website: <http://www.emro.who.int/somalia>