How are COVID-19 and flu diseases similar?



Download

How are COVID-19 and flu diseases different?



Download

If I have had my flu shot, do I also need the COVID-19 vaccine?





23 November 20

Download



How are COVID-19 and influenza viruses similar?

1. COVID-19 and influenza are both respiratory diseases

Both viruses share similar symptoms, including cough, runny nose, sore throat, fever, headache and fatigue. People may have varying levels of illness with both COVID-19 and influenza. Some may have no symptoms, mild symptoms or severe disease. Both influenza and COVID-19 can be fatal.

2. COVID-19 and influenza spread in similar ways

Both COVID-19 and influenza are spread by droplets and aerosols when an infected person coughs, sneezes, speaks, sings or breathes. The droplets and aerosols can land in the eyes, nose or mouth of people who are nearby -- typically within 1 metre of the infected person, but sometimes even further away. People can also get infected with both COVID-19 and influenza by touching contaminated surfaces, then touching their eyes, nose or mouth without cleaning their hands.

3. Some of the same groups have a higher risk for severe illness from COVID-19 and influenza

While all age groups can be infected with both the COVID-19 virus and influenza virus, these people are at higher risk for severe disease and death from both COVID-19 and influenza:

older adults;
people of any age with chronic medical conditions (such as chronic cardiac, pulmonary, renal, metabolic, neurologic, liver or hematologic diseases); and
people with immunosuppressive conditions (such as HIV/AIDS, patients receiving chemotherapy or steroids, or malignancy)
Healthcare workers are at high risk of getting infected by COVID-19 and at high risk of getting infected by influenza.
Pregnant people and those who have recently given birth are at high risk for experiencing severe influenza and severe COVID-19.
4. The same protective measures are effective against COVID-19 and influenza
To protect against COVID-19 and influenza, follow these public health and social measures:
Maintain at least a 1-metre distance from others and wear a well-fitted mask when that's not possible;
Avoid crowded and poorly ventilated places and settings;
Open windows or doors to keep rooms well ventilated;
Cough or sneeze into a bent elbow or tissue and throw the tissue into a closed bin;

Clean your hands frequently
Avoid touching your eyes, nose and mouth;
Stay home if you don't feel well; and
Contact your medical provider if you have any of the following severe symptoms of COVID-19, including:
Shortness of breath,
Loss of appetite,
Confusion,
Persistent pain or pressure in the chest,
High temperature (above 38 °C)
Vaccination is an important part of preventing severe disease and death for both COVID-19 and influenza. Follow the advice of your local authorities on getting the influenza and COVID-19 vaccines. WHO recommends the influenza vaccine for older individuals, young children,

COVID-19 vaccines are safe for most people 18 years and older, including those with pre-existing conditions of any kind, including auto-immune disorders. These conditions include: hypertension, diabetes, asthma, pulmonary, liver and kidney disease, as well as chronic infections that are stable and controlled.

People with mild symptoms of both COVID-19 and influenza can usually be cared for safely at home.

5. There are safe and effective vaccines for both COVID-19 and influenza.

COVID-19 vaccines have been proven to protect against severe illness and death caused by COVID-19 disease. Millions of people around the world have safely received COVID-19 vaccines, and the vaccines have met rigorous standards for safety, effectiveness and quality. Getting vaccinated may also protect the people around you. If you are protected from getting COVID-19, you are less likely to infect someone else. COVID-19 vaccines do not protect against influenza.

How are COVID-19 and influenza viruses different?

1. Treatments for COVID-19 and influenza are different.

The treatment options in use for COVID-19 at medical facilities include oxygen, corticosteroids, and IL6 receptor blockers for severely ill patients. Treatment for people with severe respiratory illness includes advanced respiratory support such as the use of ventilators. Several other treatment options for COVID-19 are currently in clinical trials.

Antiviral drugs for influenza can reduce severe complications and death, and they are especially important for high-risk groups. It's important to remember that antibiotics are not effective against influenza or COVID-19 viruses.

People with mild symptoms of both diseases can usually be treated safely at home. Click here for more information about caring for someone with COVID-19 safely at home.

2. Vaccines for COVID-19 and flu are different.

Vaccines developed for COVID-19 do not protect against influenza, and similarly, the flu vaccine does not protect against COVID-19. Follow the advice of your local authorities on getting the influenza and COVID-19 vaccines.

If I have had my flu shot, do I also need the COVID-19 vaccine?

Yes. You need both vaccinations.

Can someone be infected with COVID-19 and influenza at the same time?

Yes, it is possible to catch both diseases at the same time. The most effective way to prevent hospitalization and severe COVID-19 and influenza is vaccination with both vaccines.

Continue to follow prevention measures, such as maintaining at least a 1-metre distance from others, wearing a well-fitted mask when keeping your distance is not possible, avoiding crowded and poorly ventilated places and settings, opening windows and doors to keep rooms well ventilated and cleaning your hands frequently.

How can I protect myself against COVID-19 and influenza?

The most effective way to protect yourself from both influenza and severe COVID is to get vaccinated with both influenza and COVID vaccines.

The most effective way to prevent infection with the virus that causes COVID-19 is to get vaccinated and follow prevention measures: maintaining at least a 1-metre distance from others, wearing a well-fitted mask when keeping your distance is not possible, avoiding crowded and poorly ventilated places and settings, opening windows and doors to keep rooms well ventilated and cleaning your hands frequently.

Follow the advice of your local authorities on getting the influenza and COVID-19 vaccines.

Friday 4th of July 2025 04:21:53 AM